

DIN933 Hex head cap screw Stainless steel A2



Characteristics

Series: DIN 933
Material quality: Stainless steel A2
Surface protection: Untreated
Kind of thread: Metric
DIN standard: DIN933
ISO standard: 4017
Head form: Hexagon head

Material	Thread size metric (M..)	Length	Wrench width	Pitch thread	Head diameter	Head height	Article
		mm		mm	mm	mm	Max. 200 articles in the table
							23727979
Stainless steel	6	60	10		10	4	11345028
Stainless steel	3	6		0.5		2	23263126
Stainless steel	3	8		0.5		2	23263127
Stainless steel	3	10		0.5		2	23263128
Stainless steel	3	12		0.5		2	23727974
Stainless steel	3	16		0.5		2	23263130
Stainless steel	3	16		0.5		2	23727975
Stainless steel	3	20		0.5		2	23263131
Stainless steel	3	25		0.5		2	23727977
Stainless steel	3	25		0.5		2	23263132
Stainless steel	3	30		0.5		2	23263133
Stainless steel	3	40		0.5		2	23263134
Stainless steel	4	6		0.7		2.8	11345020
Stainless steel	4	8		0.7		2.8	23263136
Stainless steel	4	10		0.7		2.8	23263137
Stainless steel	4	16		0.7		2.8	23263139
Stainless steel	4	20		0.7		2.8	23263140
Stainless steel	4	25		0.7		2.8	23263141
Stainless steel	4	30		0.7		2.8	23263142
Stainless steel	4	35		0.7		2.8	11744807
Stainless steel	4	40		0.7		2.8	23263143
Stainless steel	4	50		0.7		2.8	23263144
Stainless steel	4	60		0.7		2.8	23263145
Stainless steel	5	8		0.8		3.5	23263146
Stainless steel	5	10		0.8		3.5	23263147
Stainless steel	5	12		0.8		3.5	23263148
Stainless steel	5	16		0.8		3.5	23263149
Stainless steel	5	18		0.8		3.5	23263150
Stainless steel	5	20		0.8		3.5	23263151
Stainless steel	5	25		0.8		3.5	23263152
Stainless steel	5	30		0.8		3.5	23263153
Stainless steel	5	35		0.8		3.5	23263154
Stainless steel	5	40		0.8		3.5	23263155
Stainless steel	5	45		0.8		3.5	23263156
Stainless steel	5	50		0.8		3.5	23263157
Stainless steel	5	60		0.8		3.5	23263158
Stainless steel	5	70		0.8		3.5	11744825
Stainless steel	5	80		0.8		3.5	11744826
Stainless steel	6	8		1		4	23263159

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Material	Thread size metric (M..)	Length	Wrench width	Pitch thread	Head diameter	Head height	Article
		mm		mm	mm	mm	
Stainless steel	6	10		1		4	23263160
Stainless steel	6	16		1		4	23263162
Stainless steel	6	20		1		4	23263163
Stainless steel	6	25		1		4	23263164
Stainless steel	6	30		1		4	23263165
Stainless steel	6	35		1		4	23263166
Stainless steel	6	40		1		4	23263167
Stainless steel	6	45		1		4	11345027
Stainless steel	6	50		1		4	23263169
Stainless steel	6	55		1		4	23263170
Stainless steel	6	70		1		4	23263172
Stainless steel	6	80		1		4	23263173
Stainless steel	6	90		1		4	23263174
Stainless steel	6	100		1		4	23263175
Stainless steel	8	10		1.25		5.3	23263176
Stainless steel	8	12		1.25		5.3	23263177
Stainless steel	8	14		1.25		5.3	23263178
Stainless steel	8	16		1.25		5.3	23263179
Stainless steel	8	18		1.25		5.3	11744847
Stainless steel	8	20		1.25		5.3	23263180
Stainless steel	8	25		1.25		5.3	23263181
Stainless steel	8	30		1.25		5.3	23263182
Stainless steel	8	35		1.25		5.3	23263183
Stainless steel	8	40		1.25		5.3	23263184
Stainless steel	8	45		1.25		5.3	23263185
Stainless steel	8	50		1.25		5.3	23263186
Stainless steel	8	55		1.25		5.3	23263187
Stainless steel	8	60		1.25		5.3	23263188
Stainless steel	8	70		1.25		5.3	23263189
Stainless steel	8	80		1.25		5.3	23263190
Stainless steel	8	90		1.25		5.3	23263191
Stainless steel	8	100		1.25		5.3	23263192
Stainless steel	8	110		1.25		5.3	23263193
Stainless steel	8	120		1.25		5.3	23263194
Stainless steel	10	12	17	1.5		6.4	23263195
Stainless steel	10	16	17	1.5		6.4	23263196
Stainless steel	10	20	17	1.5		6.4	23263197
Stainless steel	10	25	17	1.5		6.4	23263198
Stainless steel	10	30	17	1.5		6.4	23263199
Stainless steel	10	35	17	1.5		6.4	23263200
Stainless steel	10	40	17	1.5		6.4	23263201
Stainless steel	10	45	17	1.5		6.4	23263202
Stainless steel	10	50	17	1.5		6.4	23263203
Stainless steel	10	55	17	1.5		6.4	23263204
Stainless steel	10	65	17	1.5		6.4	23263206
Stainless steel	10	70	17	1.5		6.4	23263207
Stainless steel	10	80	17	1.5		6.4	23263208
Stainless steel	10	90	17	1.5		6.4	23263209
Stainless steel	10	100	17	1.5		6.4	23263210
Stainless steel	10	110	17	1.5		6.4	23263211
Stainless steel	10	110		1.5		6.4	23727840
Stainless steel	10	120	17	1.5		6.4	23263212

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Material	Thread size metric (M..)	Length	Wrench width	Pitch thread	Head diameter	Head height	Article
		mm		mm	mm	mm	
Stainless steel	10	120	17	1.5		6.4	23727842
Stainless steel	10	130		1.5		6.4	23263213
Stainless steel	10	130		1.5		6.4	23727843
Stainless steel	10	140		1.5		6.4	23727844
Stainless steel	10	150		1.5		6.4	23263215
Stainless steel	10	150		1.5		6.4	23727845
Stainless steel	10	160	19	1.5		6.4	23727847
Stainless steel	12	16		1.75		7.5	23263217
Stainless steel	12	20		1.75		7.5	23263218
Stainless steel	12	25		1.75		7.5	23263219
Stainless steel	12	30		1.75		7.5	23727873
Stainless steel	12	35		1.75		7.5	23263221
Stainless steel	12	40		1.75		7.5	23263222
Stainless steel	12	45		1.75		7.5	23263223
Stainless steel	12	50		1.75		7.5	23263224
Stainless steel	12	55		1.75		7.5	23263225
Stainless steel	12	60		1.75		7.5	23263226
Stainless steel	12	65		1.75		7.5	11345040
Stainless steel	12	70		1.75		7.5	23263228
Stainless steel	12	80		1.75		7.5	11345041
Stainless steel	12	90		1.75		7.5	23263230
Stainless steel	12	100		1.75		7.5	23263231
Stainless steel	12	110		1.75		7.5	23263232
Stainless steel	12	120		1.75		7.5	23263233
Stainless steel	12	130	19	1.75		7.5	23263234
Stainless steel	12	140		1.75		7.5	23263235
Stainless steel	12	150		1.75		7.5	23727867
Stainless steel	12	150		1.75		7.5	23263236
Stainless steel	12	160		1.75		7.5	23263237
Stainless steel	14	25		2		8.8	23263239
Stainless steel	14	30		2		8.8	23263240
Stainless steel	14	35		2		8.8	23263241
Stainless steel	14	40		2		8.8	23263242
Stainless steel	14	45		2		8.8	23263243
Stainless steel	14	50		2		8.8	23263244
Stainless steel	14	60		2		8.8	11345042
Stainless steel	14	70		2		8.8	23263246
Stainless steel	14	80		2		8.8	23727896
Stainless steel	14	80		2		8.8	23263247
Stainless steel	14	100		2		8.8	23727884
Stainless steel	14	100	22	2		8.8	23263248
Stainless steel	16	25		2		10	23263249
Stainless steel	16	30		2		10	23263250
Stainless steel	16	35		2		10	23263251
Stainless steel	16	40		2		10	23263252
Stainless steel	16	45		2		10	23263253
Stainless steel	16	55		2		10	23263255
Stainless steel	16	60		2		10	11345044
Stainless steel	16	65		2		10	23263257
Stainless steel	16	70		2		10	23263258
Stainless steel	16	80		2		10	11345045
Stainless steel	16	90		2		10	23263260

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Material	Thread size metric (M...)	Length	Wrench width	Pitch thread	Head diameter	Head height	Article
		mm		mm	mm	mm	
Stainless steel	16	100	32	2		10	11345046
Stainless steel	16	110		2		10	23263262
Stainless steel	16	120		2		10	23263263
Stainless steel	18	30		2.5		11.5	23263264
Stainless steel	18	35		2.5		11.5	23263265
Stainless steel	18	40		2.5		11.5	23263266
Stainless steel	18	45		2.5		11.5	23263267
Stainless steel	18	50		2.5		11.5	23263268
Stainless steel	18	55		2.5		11.5	23263269
Stainless steel	18	60		2.5		11.5	23263270
Stainless steel	20	30		2.5		12.5	23263275
Stainless steel	20	35		2.5		12.5	23263276
Stainless steel	20	40		2.5		12.5	23263277
Stainless steel	20	45		2.5		12.5	23263278
Stainless steel	20	50		2.5		12.5	23263279
Stainless steel	20	55		2.5		12.5	23263280
Stainless steel	20	60		2.5		12.5	23263281
Stainless steel	20	65		2.5		12.5	23263282
Stainless steel	20	70		2.5		12.5	23263283
Stainless steel	20	75		2.5		12.5	23263284
Stainless steel	20	80		2.5		12.5	11345048
Stainless steel	20	90		2.5		12.5	23263286
Stainless steel	20	100		2.5		12.5	11345049
Stainless steel	20	110		2.5		12.5	23263288
Stainless steel	20	110		2.5		12.5	23727928
Stainless steel	20	120		2.5		12.5	23263289
Stainless steel	20	130		2.5		12.5	23263290
Stainless steel	20	140		2.5		12.5	23263291
Stainless steel	20	150		2.5		12.5	23263292
Stainless steel	20	150		2.5		12.5	23727932
Stainless steel	20	180		2.5		12.5	11744739
Stainless steel	22	50		2.5		14	23727947
Stainless steel	22	60		2.5		14	23727948
Stainless steel	22	70		2.5		14	23263296
Stainless steel	22	70		2.5		14	23727949
Stainless steel	22	80		2.5		14	23727950
Stainless steel	22	100		2.5		14	23727946
Stainless steel	24	50		3		15	11377545
Stainless steel	24	55		3		15	23263301
Stainless steel	24	55		3		15	23727959
Stainless steel	24	60		3		15	23727960
Stainless steel	24	60		3		15	23263302
Stainless steel	24	65		3		15	23263303
Stainless steel	24	65		3		15	23727961
Stainless steel	24	70		3		15	23727962
Stainless steel	24	70		3		15	23263304
Stainless steel	24	80		3		15	23263305
Stainless steel	24	90		3		15	23727964
Stainless steel	24	90		3		15	23263306
Stainless steel	24	100		3		15	23263307
Stainless steel	24	110		3		15	23727953
Stainless steel	24	130		3		15	23727955

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Material	Thread size metric (M...)	Length mm	Wrench width	Pitch thread mm	Head diameter mm	Head height mm	Article
Stainless steel	24	150		3		15	23727957
Stainless steel	27	120		3		17	23727967
Stainless steel	30	90		3.5		18.7	23263324

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.