

DIN933 Hex head cap screw Stainless steel A4



Characteristics
Series: DIN 933
Material quality: Stainless steel A4
Surface protection: Untreated
Kind of thread: Metric
DIN standard: 933
ISO standard: 4017
Head form: Hexagon head

Material	Thread size metric (M..)	Length	Wrench width	Pitch thread	Head height	Article
		mm		mm	mm	
Stainless steel	3	8		0.5	2	23728214
Stainless steel	3	8		0.5	2	23268797
Stainless steel	3	12		0.5	2	23728209
Stainless steel	3	16		0.5	2	23728210
Stainless steel	3	20		0.5	2	23268801
Stainless steel	3	20		0.5	2	23728211
Stainless steel	3	25		0.5	2	23728212
Stainless steel	3	30		0.5	2	23728213
Stainless steel	4	10		0.7	2.8	23268805
Stainless steel	4	10		0.7	2.8	23728234
Stainless steel	4	12		0.7	2.8	23728235
Stainless steel	4	12		0.7	2.8	23268806
Stainless steel	4	16		0.7	2.8	23728236
Stainless steel	4	20		0.7	2.8	23728237
Stainless steel	4	20		0.7	2.8	23268808
Stainless steel	4	25		0.7	2.8	23268809
Stainless steel	4	25		0.7	2.8	23728238
Stainless steel	4	30		0.7	2.8	23728239
Stainless steel	4	30		0.7	2.8	23268810
Stainless steel	4	35		0.7	2.8	23268811
Stainless steel	4	40		0.7	2.8	23268812
Stainless steel	4	50		0.7	2.8	23268813
Stainless steel	5	8		0.8	3.5	23268814
Stainless steel	5	10		0.8	3.5	23268815
Stainless steel	5	12		0.8	3.5	23268816
Stainless steel	5	16		0.8	3.5	23268817
Stainless steel	5	20		0.8	3.5	23268819
Stainless steel	5	25		0.8	3.5	23268820
Stainless steel	5	30		0.8	3.5	23268821
Stainless steel	5	35		0.8	3.5	23268822
Stainless steel	5	40		0.8	3.5	23268823
Stainless steel	5	45		0.8	3.5	23268824
Stainless steel	5	50		0.8	3.5	23268825
Stainless steel	5	60		0.8	3.5	23268826
Stainless steel	6	12		1	4	23268829
Stainless steel	6	16		1	4	23268830
Stainless steel	6	20		1	4	23268832
Stainless steel	6	25		1	4	23268833
Stainless steel	6	30		1	4	23268834
Stainless steel	6	35		1	4	23268835

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Material	Thread size metric (M...)	Length	Wrench width	Pitch thread	Head height	Article
		mm		mm	mm	
Stainless steel	6	40		1	4	23268836
Stainless steel	6	45		1	4	23268837
Stainless steel	6	50		1	4	23268838
Stainless steel	6	55		1	4	23268839
Stainless steel	6	60		1	4	23268840
Stainless steel	6	70		1	4	23268841
Stainless steel	6	75		1	4	11745153
Stainless steel	6	80		1	4	23268842
Stainless steel	6	100		1	4	23268844
Stainless steel	8	10		1.25	5.3	23268845
Stainless steel	8	12		1.25	5.3	23268846
Stainless steel	8	16		1.25	5.3	23268847
Stainless steel	8	20		1.25	5.3	23268848
Stainless steel	8	25		1.25	5.3	23268849
Stainless steel	8	30		1.25	5.3	23268850
Stainless steel	8	35		1.25	5.3	23268851
Stainless steel	8	40		1.25	5.3	23268852
Stainless steel	8	45		1.25	5.3	23268853
Stainless steel	8	50		1.25	5.3	23268854
Stainless steel	8	55		1.25	5.3	23268855
Stainless steel	8	60		1.25	5.3	23268856
Stainless steel	8	70		1.25	5.3	23268858
Stainless steel	8	80		1.25	5.3	23268859
Stainless steel	8	90		1.25	5.3	23268860
Stainless steel	8	100		1.25	5.3	23268861
Stainless steel	8	120		1.25	5.3	23268863
Stainless steel	8	140		1.25	5.3	23268864
Stainless steel	8	180		1.25	5.3	23268866
Stainless steel	10	12	17	1.5	6.4	23268867
Stainless steel	10	16	17	1.5	6.4	23268868
Stainless steel	10	20	17	1.5	6.4	23268869
Stainless steel	10	25	17	1.5	6.4	23268870
Stainless steel	10	30	17	1.5	6.4	23268871
Stainless steel	10	35	17	1.5	6.4	23268872
Stainless steel	10	40	17	1.5	6.4	23268873
Stainless steel	10	45	17	1.5	6.4	23268874
Stainless steel	10	50	17	1.5	6.4	23268875
Stainless steel	10	55	17	1.5	6.4	23268876
Stainless steel	10	60	17	1.5	6.4	23268877
Stainless steel	10	65	17	1.5	6.4	23268878
Stainless steel	10	70	17	1.5	6.4	23268879
Stainless steel	10	80	17	1.5	6.4	23268880
Stainless steel	10	90		1.5	6.4	23728092
Stainless steel	10	100	17	1.5	6.4	23268882
Stainless steel	10	110		1.5	6.4	23728072
Stainless steel	10	120		1.5	6.4	23728074
Stainless steel	10	130		1.5	6.4	11744965
Stainless steel	10	160		1.5	6.4	23728077
Stainless steel	10	200		1.5	6.4	23728080
Stainless steel	12	16	19	1.75	7.5	23268889
Stainless steel	12	20	19	1.75	7.5	23268890
Stainless steel	12	25	19	1.75	7.5	23268891

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Material	Thread size metric (M...)	Length	Wrench width	Pitch thread	Head height	Article
		mm				
Stainless steel	12	30	19	1.75	7.5	23268892
Stainless steel	12	35	19	1.75	7.5	23268893
Stainless steel	12	40	19	1.75	7.5	23268894
Stainless steel	12	45	19	1.75	7.5	23268895
Stainless steel	12	50	19	1.75	7.5	23268896
Stainless steel	12	55	19	1.75	7.5	23268897
Stainless steel	12	60	19	1.75	7.5	23268898
Stainless steel	12	65	19	1.75	7.5	23268899
Stainless steel	12	70	19	1.75	7.5	23268900
Stainless steel	12	80	19	1.75	7.5	23268901
Stainless steel	12	90	19	1.75	7.5	23268902
Stainless steel	12	100	19	1.75	7.5	23268903
Stainless steel	12	110	19	1.75	7.5	23268904
Stainless steel	12	120	19	1.75	7.5	23268905
Stainless steel	12	130		1.75	7.5	11744986
Stainless steel	12	140	19	1.75	7.5	23268906
Stainless steel	12	150		1.75	7.5	23728097
Stainless steel	12	200	19	1.75	7.5	23268910
Stainless steel	14	25	22	2	8.8	23268911
Stainless steel	14	30	22	2	8.8	23268912
Stainless steel	14	35	22	2	8.8	23268913
Stainless steel	14	40	22	2	8.8	23268914
Stainless steel	14	45		2	8.8	23728122
Stainless steel	14	50	22	2	8.8	23268915
Stainless steel	14	60	22	2	8.8	23268916
Stainless steel	14	70	22	2	8.8	23268918
Stainless steel	14	75		2	8.8	11745003
Stainless steel	14	80		2	8.8	23728127
Stainless steel	14	90		2	8.8	23728128
Stainless steel	14	100		2	8.8	23728115
Stainless steel	14	110		2	8.8	11744998
Stainless steel	14	120		2	8.8	23728116
Stainless steel	14	130		2	8.8	11744999
Stainless steel	14	140		2	8.8	23728117
Stainless steel	14	150		2	8.8	11745000
Stainless steel	16	30		2	10	23268925
Stainless steel	16	35		2	10	23268926
Stainless steel	16	40		2	10	23268927
Stainless steel	16	45		2	10	23268928
Stainless steel	16	50		2	10	23268929
Stainless steel	16	55		2	10	23268930
Stainless steel	16	60		2	10	23268931
Stainless steel	16	65		2	10	23268932
Stainless steel	16	70		2	10	23268933
Stainless steel	16	75		2	10	23728149
Stainless steel	16	80		2	10	23268934
Stainless steel	16	90		2	10	23728151
Stainless steel	16	90		2	10	23268935
Stainless steel	16	100		2	10	23268936
Stainless steel	16	110		2	10	23268937
Stainless steel	16	120		2	10	23728131
Stainless steel	16	120		2	10	23268938

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Material	Thread size metric (M..)	Length	Wrench width	Pitch thread	Head height	Article
		mm		mm	mm	
Stainless steel	16	130	32	2	10	23268939
Stainless steel	16	140		2	10	23728133
Stainless steel	16	150		2	10	23728134
Stainless steel	16	160		2	10	23728135
Stainless steel	16	160		2	10	23268942
Stainless steel	16	180		2	10	23268943
Stainless steel	18	50		2.5	11.5	23268949
Stainless steel	18	60		2.5	11.5	23268950
Stainless steel	18	70		2.5	11.5	23268951
Stainless steel	20	35		2.5	12.5	23268956
Stainless steel	20	40		2.5	12.5	23268957
Stainless steel	20	45		2.5	12.5	23268958
Stainless steel	20	50		2.5	12.5	23268959
Stainless steel	20	55		2.5	12.5	23268960
Stainless steel	20	60		2.5	12.5	23268961
Stainless steel	20	65		2.5	12.5	23268962
Stainless steel	20	70		2.5	12.5	23268963
Stainless steel	20	75		2.5	12.5	23728179
Stainless steel	20	75		2.5	12.5	23268964
Stainless steel	20	80		2.5	12.5	23268965
Stainless steel	20	80		2.5	12.5	23728180
Stainless steel	20	90		2.5	12.5	23268966
Stainless steel	20	100		2.5	12.5	23728161
Stainless steel	20	100		2.5	12.5	23268967
Stainless steel	20	110		2.5	12.5	23728162
Stainless steel	20	110		2.5	12.5	23268968
Stainless steel	20	120		2.5	12.5	23728163
Stainless steel	20	130		2.5	12.5	23728164
Stainless steel	20	140		2.5	12.5	23728165
Stainless steel	20	150		2.5	12.5	23728166
Stainless steel	20	160		2.5	12.5	23728167
Stainless steel	20	200		2.5	12.5	23728169
Stainless steel	22	50		2.5	14	23728182
Stainless steel	22	60		2.5	14	23728183
Stainless steel	22	70		2.5	14	23268978
Stainless steel	22	70		2.5	14	23728184
Stainless steel	22	80		2.5	14	23728185
Stainless steel	24	50		3	15	23728194
Stainless steel	24	55		3	15	23728195
Stainless steel	24	55		3	15	23268981
Stainless steel	24	60		3	15	23728196
Stainless steel	24	60		3	15	23268982
Stainless steel	24	65		3	15	23268983
Stainless steel	24	70		3	15	23728198
Stainless steel	24	80		3	15	23728199
Stainless steel	24	90		3	15	23728200
Stainless steel	24	120		3	15	23728187
Stainless steel	24	120		3	15	23268988
Stainless steel	24	130		3	15	23728188
Stainless steel	27	50		3	17	23728203
Stainless steel	27	70		3	17	23728205
Stainless steel	30	60		3.5	18.7	23728219

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Material	Thread size metric (M..)	Length mm	Wrench width	Pitch thread mm	Head height mm	Article
Stainless steel	33	110		3.5	21	23728224
Stainless steel	33	120		3.5	21	23728225
Stainless steel	36	80		4	22.5	23728232

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.