

Globe valve Series: 12.006 Type: 123 Cast iron Flange PN16



Characteristics

Series: 12.006

Type: 123

Norm: EN (DIN)

Construction type: Straight

Housing material: Cast iron

Surface protection: Standard manufacturers coating

Connection: Flange

Flange finish: Raised face

Stem seal type: Gland seal

Material disc: 1.4021+QT

Spindle material: 1.4021+QT

Characteristics [2]


Primary spindle seal material: Graphite

Bonnet gasket material: Graphite

Minimum medium temperature (continuous): -10 °C

Maximum medium temperature (continuous): 300 °C

Maximum pressure difference at 20 °C: 16 bar



Material quality	Nominal inner diameter	Pressure rating	Face to Face norm	Face to Face length	Operation	Type of disc	Type of bonnet	Sealing	Kv value	Article
				mm						
EN-JL1040	DN15	PN16	EN 558, Series 1	130	Hand wheel, rising with rising stem	Fixed disc	Bolted bonnet	Stainless steel	4.2	13359910
EN-JL1040	DN15	PN16	EN 558, Series 1	130	Hand wheel, rising with rising stem	Screw down non-return disc with spring	Bolted bonnet	Stainless steel	4.2	13359922
EN-JL1040	DN20	PN16	EN 558, Series 1	150	Hand wheel, rising with rising stem	Fixed disc	Bolted bonnet	Stainless steel	7.4	13359909
EN-JL1040	DN32	PN16	EN 558, Series 1	180	Hand wheel, rising with rising stem	Fixed disc	Bolted bonnet	Stainless steel	19	13359908
EN-JL1040	DN40	PN16	EN 558, Series 1	200	Hand wheel, rising with rising stem	Fixed disc	Bolted bonnet	Stainless steel	31	13359905
EN-JL1040	DN50	PN16	EN 558, Series 1	230	Hand wheel, rising with rising stem	Control disc	Bolted bonnet	Stainless steel	47	13359912
EN-JL1040	DN50	PN16	EN 558, Series 1	230	Hand wheel, rising with rising stem	Fixed disc	Bolted bonnet	Stainless steel	47	13359907

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.