


Oil Seal type M

Characteristics

Norm design: DIN 3760-B

Material lip: NBR

Material surface: Metal



Shaft diameter		Housing diameter		Article
mm		mm		Max. 200 articles in the table
6		16		10004517
9		22		10003547
10		17		10003592
10		22		10003595
10		26		10003597
12		22		10003601
12		30		10003606
12		32		10003608
12		37		10003609
14		24		10005527
14		26		10003616
14		30		10003618
14		32		10003619
15		24		10003620
15		25		10003622
15		28		10003624
15		30		10005529
16		24		10003628
16		24		10003630
16		28		10005531
16		35		10003635
17		30		10003639
17		33		10005536

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Shaft diameter	Housing diameter	Article
mm	mm	Max. 200 articles in the table
17	35	10003643
17	35	10003644
17	35	10004528
18	25	10003648
18	30	10003650
18	32	10003651
19	30	10005539
20	30	10003658
20	30	10003659
20	31	10003661
20	32	10005540
20	33	10004532
20	40	10003664
20	40	10003665
20	42	10003666
20	42	10004533
20	47	10003667
22	32	10003671
22	32	10005544
22	40	10003676
24	35	10005546
25	34	10003686
25	35	10005547
25	35	10003687
25	35	10003688
25	35	10003689
25	37	10003691
25	38	10003692
25	40	10005549
25	40	10003694
25	42	10003695
25	42	10003696
25	42	10004546
25	47	10003698
25	47	10004547
25	52	10003700
28	38	10003709
28	47	10004559
29	45	10004560
30	42	10003719
30	45	10003722
30	45	10005556
30	47	10003723
30	47	10003724
30	50	10003725
30	50	10004563
30	52	10004565
30	62	10004569
32	45	10003732
32	47	10004575
32	48	10003735
32	52	10003737
32	52	10003738

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Shaft diameter	Housing diameter	Article
mm	mm	Max. 200 articles in the table
32	55	10004578
32	60	10004580
32	65	10004581
34	46	10003739
35	47	10003746
35	47	10003747
35	50	10003748
35	52	10005561
35	52	10004587
35	55	10003752
35	55	10004588
35	55	10004590
35	58	10004594
35	62	10003753
35	62	10003754
35	62	10004597
35	70	10004600
35	72	10004602
36	47	10003756
38	52	10003760
38	54	10004609
38	55	10005564
38	62	10004614
38	70	10004616
38	72	10004619
40	52	10003765
40	55	10003767
40	55	10004622
40	56	10003768
40	56	10004623
40	62	10003770
40	62	10003771
40	65	10003772
40	65	10004631
40	68	10003774
40	72	10004636
40	72	10004637
40	80	10004638
42	58	10003783
42	58	10003784
42	62	10003787
42	62	10004646
42	65	10004649
44	56	10003789
45	60	10003794
45	60	10004658
45	62	10003798
45	62	10004661
45	62	10004662
45	65	10003799
45	65	10004663
45	68	10004666
45	72	10003800

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Shaft diameter	Housing diameter	Article
mm	mm	Max. 200 articles in the table
45	72	10004670
45	80	10004672
45	85	10004674
48	62	10005571
48	65	10004679
48	72	10003808
50	62	10004686
50	65	10003810
50	65	10004687
50	70	10004691
50	70	10004692
50	72	10003814
50	72	10004694
50	72	10004695
50	75	10004696
50	80	10003816
50	90	10004701
52	68	10003817
52	68	10003818
52	72	10004705
54	70	10004710
54	80	10004713
55	68	10003821
55	72	10003823
55	72	10004717
55	75	10004720
55	80	10003824
55	80	10004721
55	80	10004723
55	85	10004724
56	90	10004727
58	75	10004728
60	70	10003830
60	80	10005575
60	82	10004735
60	85	10003833
60	85	10004736
60	90	10005576
60	90	10004738
62	75	10004740
62	90	10004743
62	90	10004744
64	80	10003836
65	80	10005579
65	80	10004746
65	85	10003837
65	85	10004747
65	85	10004749
65	90	10004750
65	90	10004751
68	90	10004754
70	85	10003839
70	110	10005582

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Shaft diameter	Housing diameter	Article
mm	mm	Max. 200 articles in the table
70	120	10005585
75	95	10003842
75	100	10005588
75	100	10005590
76	105	10005597
80	100	10005598
80	100	10005600
80	105	10005601
85	105	10005606
85	120	10005610
86	110	10005613
90	110	10005616
90	115	10004769
95	115	10005627
95	120	10005628
95	120	10005629
		10003766

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.