



ERIKS Oil Seal type WR5

Characteristics

Material lip: NBR

Material surface: Rubber/fabric

Spring-loaded: Stainless steel 302 [1.4310]



Shaft diameter mm	Housing diameter mm	Housing width mm	Article
19.05	34.92	7.94	12492169
25	52	10	11382178
35	50.8	8	11624609
50	70	10	10012815
50	75	11	11656577
55	80	12	11458941
55	80	13	11444595
70	90	10	10012817
75	95	12	11252918
76.2	107.95	12.7	12033944
80	110	10	11446301
80.98	107.95	12.7	12146539
82	105	12	11288374
85	105	13	11288376
85	110	13	11288377
85	117	13	11179281
85	120	12	13029200
88.9	123.83	12.7	11061892
88.9	127	12.7	10013493
90	110	12	11324508
90	120	12	11158948
90	122	12.5	12983127
93	120	13	11229258
95	120	13	11288375
95	120	13	12216556
100	120	12	11317081
100	125	12	11299904
110	130	12	11252919
110	135	12	11319211
114.3	136.52	9.52	12129717
115	140	12	11464969
115	150	12	12305321
115	150	16	10013393

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Shaft diameter	Housing diameter	Housing width	Article
mm	mm	mm	
120	150	13	11464236
120	170	15	11588594
123.8	149.2	12.7	11545846
129	153	12	11382763
130	160	12	12186397
130	160	15	11455422
130	160	15	12151872
130	170	16	12729610
135	165	13	11299905
135	175	16	13176133
140	170	15	11324509
140	180	16	12387472
140	180	16	12620946
150	168	12	11319210
160	180	10	12253086
160	185	10	12133878
160	190	15	11655904
160	190	15	13191969
165	190	15	11464968
165.1	190.5	12.7	10013549
165.1	190.5	15.88	12492168
170	200	15	12215801
170	200	15	11554216
170	210	16	13145031
175	215	16	13176132
177.8	203.2	12.7	12463980
180	210	14.5	11446140
180	210	15	12215799
180	220	16	12387471
180	220	16	12717751
185	216	15.87	11266461
185	216	15.87	11266301
195	230	15	11365976
200	230	15	13031408
200	230	16	10013398
200	240	16	12702870
203.5	235.2	15	12392000
210	240	15	12432826
210	250	16	12622402
210	250	16.5	11380902
213	248	16	11447572
219.07	269.87	19.05	11935911
220	250	15	11158949
220	250	16	12313669
220	250	16	12313670
220	260	16	12702868
220	260	16	13145029
225	265	16.5	11380903
230	260	15	12215798
230	280	15	11476539
235	265	15	12962683
240	270	15	11228009
240	280	16	12693962

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Shaft diameter	Housing diameter	Housing width	Article
mm	mm	mm	
240	280	16	12998691
240	280	16	11181592
250	280	16	12939896
250	300	20	12453267
250	300	20	12304208
250	300	20	12317123
260	290	15	11655892
260	290	16	11918755
260	305	22	12477109
260	310	16	13031405
265	310	22	12138906
266.7	298.4	15.9	12146538
266.7	304.8	19.1	10013555
270	312	20	12179787
280	310	15	11655891
280	320	16	12743455
280	320	18	12319126
280	320	20	11544059
280	324	19.1	11235687
280	324	20	12139261
290	330	18	12577768
290	330	20	12138903
290	334	20	11968702
290	334	20	12188800
300	344	20	11473986
300	344	20	12578523
320	350	18	12637687
320	360	20	12588287
340	390	28	12363562
342.9	393.7	28.6	10013388
350	400	20	11908536
360	400	18	12494814
360	400	20	12340198
361.95	406.4	19.1	10013569
361.95	412.75	20.7	10013583
370	414	20	12333488
380	420	18	12218880
380	424	20	11619537
380	430	22.5	11193839
380	440	25	11884366
390	434	20	11314345
394	420	16	12494815
400	440	20	12729622
400	440	20	10013409
419.1	457.2	19.1	11259949
431.8	469.9	19.1	10013560
435	485	22	12314578
440	480	20	12734586
440	490	22	11314346
444.5	488.95	25.4	10013571
450	494	20	11470941
450	500	22	12388334
450	500	22.5	11195480

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Shaft diameter	Housing diameter	Housing width	Article
mm	mm	mm	
455	505	22.5	11219703
480	520	20	12306060
480	524	20	11939548
480	524	20	11381724
480	524	20	11938793
497	538	20	11938896
500	540	20	11664976
500	550	20	12481799
500	550	22	12706994
520	570	20	11948828
520	570	20	12331487
530	580.8	20.7	10013541
560	600	20	11664977
560	610	20	12491026
560	610	22	12510047
580	630	22	11603406
600	640	20	11664978
608	658	22	11047745
620	684	25	11135379
625	655	20.5	11397047
640	680	20	11473159
670	710	20	11664979
710	750	23	11664980
710	760	20	11339473
710	760	20	11593616
744	808	25	11047744
750	790	23	11664981
760	804	20	11620449
761.9	825.4	25.4	11188552
785	849	25	12157709
790	830	23	11664982
810	874	25	12706044
820	870	22	12327258
840	880	23	11664983
890	930	23	11664984
960	1000	20	11664985
990	1030	20	11664986
1050	1090	20	11664987
1060	1124	25	11264724
1150	1214	25	12157710
1180	1244	25	11619877
1219.2	1270	25.4	12771509
1375	1420	30	12369286
1397	1448	20.64	11260767
1400	1450	20	12465149
1580	1644	25	11619878

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.