



FREUDENBERG Oil Seal type BAUM

Characteristics
Norm design: DIN 3760-A
Material lip: NBR
Material surface: Rubber

Shaft diameter	Housing diameter	Article
mm	mm	Max. 200 articles in the table
6	16	11373525
6	22	11373524
10	19	11373523
10	22	11373522
10	22	11373052
10	26	11372559
12	20	11373536
12	22	11293304
12	24	11372563
12	30	11373535
12	32	11373538
15	24	11293302
15	25	11373518
15	28	11373564
15	30	11320440
15	32	11293405
15	32	11373571
15	35	11373572
16	28	11293298
16	30	11373560
17	28	11373562
17	30	11293297
17	32	11373570
17	40	11293296
17	47	11373578
18	30	11296439
18	30	11373563
18	30	11383017
18	35	11293295
20	30	11293294
20	32	11293293
20	32	11420371
20	35	11293292

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Shaft diameter	Housing diameter	Article
mm	mm	Max. 200 articles in the table
22	40	11373622
24	35	11373612
24	37	11373613
25	35	11293291
25	40	11293276
25	42	11293275
25	52	11343850
25	62	11373092
26	42	11373618
26	47	11372822
27	47	11372593
28	38	11372774
28	40	11300208
28	40	11293394
28	47	11293273
30	40	11293290
30	42	11293271
30	42	11383054
30	47	11293270
30	47	11373083
30	48	11373630
30	50	11318703
30	52	11293269
32	42	11293289
32	52	11293267
35	45	11373566
35	47	11373519
35	47	11293266
35	50	11293265
35	52	11293264
35	55	11373087
35	62	11293263
35	72	11373616
35	80	11373608
36	47	11373620
36	52	11373625
38	52	11373619
38	55	11373611
38	60	11293262
38	62	11372823
40	52	11293261
40	52	11383053
40	60	11373617
40	72	11293259
40	85	11373629
42	62	11293244
42	65	11295502
42	72	11372844
45	62	11373683
45	62	11293243
45	65	11373669
45	72	11293242
45	80	11372847

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Shaft diameter	Housing diameter	Article
mm	mm	Max. 200 articles in the table
48	62	11373671
50	65	11293241
50	68	11372851
50	68	11373662
50	70	11293240
50	72	11293239
50	80	11293238
50	80	11936433
52	68	11373672
52	68	11293378
55	70	11300125
55	72	11293237
55	80	11295464
55	80	11293236
55	85	11293235
55	85	11373666
55	90	11373661
56	72	11372857
56	80	11373676
56	80	11515112
58	72	11293234
58	80	11293233
60	75	11373685
60	80	11373680
60	80	11293232
60	85	11293231
60	85	11373115
60	110	11373719
62	90	11293225
63	85	11372866
65	80	11373681
65	85	11293224
65	85	11306741
65	90	11373713
65	90	11373706
65	95	11293223
65	95	11373132
68	85	11373135
68	90	11293222
68	100	11373716
70	85	11293230
70	85	12401673
70	90	11295468
70	90	11300204
70	100	11373709
70	110	11373660
72	95	11373717
75	90	11373682
75	90	11373678
75	95	11293221
75	100	11293220
75	100	11373705
80	100	11293219

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Shaft diameter	Housing diameter	Article
mm	mm	Max. 200 articles in the table
80	100	11373704
80	110	11373708
85	105	11373765
85	110	11293209
85	120	11373751
85	150	11373767
90	110	11372874
90	110	11293359
90	110	11293208
90	110	11373029
90	120	11293207
90	120	11373030
92	120	11372656
95	120	11293206
95	125	11299501
100	120	11295459
100	120	11293205
100	120	12465326
100	125	11293204
100	130	11300205
100	160	11373446
105	130	11300206
110	130	11301050
110	130	11417723
110	140	11293203
115	140	11373753
115	150	11372537
115	150	11373757
120	140	11373764
120	150	11293202
120	150	11293201
120	160	11293532
120	160	11373758
125	150	11373754
125	160	11372666
125	160	11373759
130	150	11373766
130	160	11293200
130	160	11293199
130	170	11373756
135	165	11373763
135	170	11293198
135	170	11373755
140	170	11293196
140	170	11383056
145	175	11354422
145	175	11309468
150	180	11372538
150	180	11293195
160	190	11293194
170	200	11293193
170	200	12015045
180	210	11295522

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Shaft diameter	Housing diameter	Article
mm	mm	Max. 200 articles in the table
190	220	11293192
190	220	11383057
190	220	11373143
200	230	11293191
200	310	11373789
205	230	11373792
220	250	11295496

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.