



FREUDENBERG Oil Seal type B2

Characteristics

Norm design: DIN 3760-C

Material lip: NBR

Material surface: Metal

Shaft diameter	Housing diameter	Article
mm	mm	Max. 200 articles in the table
20	40	11293726
25	47	11293639
30	47	11293723
30	50	11293638
32	50	11293722
34	52	11293847
35	50	11293637
35	52	11293635
35	62	11293634
40	62	11293631
40	62	11293630
40	65	11300148
40	80	11293558
45	62	11293716
45	65	11293628
45	68	11293824
45	70	11293714
45	72	11293626
45	72	11295437
48	70	11318705
50	65	11293711
50	68	11293710
50	70	11293624
50	72	11293623
50	90	11293709
52	72	11300146
54	80	11293843
55	72	11293619
55	75	11293618
55	80	11293707
55	100	11300151
58	80	11312241
60	78	11326951
60	80	11293617
60	80	11293616
60	85	11293615
60	85	11293613
60	95	11312624
62	85	11293702
65	85	11293609
65	95	11300152
65	100	11293701
65	100	11293842

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Shaft diameter	Housing diameter	Article
mm	mm	Max. 200 articles in the table
65	100	11293696
68	90	11293841
68	100	11293695
70	90	11293606
70	90	11293604
70	95	11295456
70	95	11295504
70	100	11293603
72	90	11293700
72	95	11293699
74	100	11295458
75	95	11293602
75	95	11293601
75	100	11293600
75	100	11293599
80	100	11293598
80	100	11300181
80	100	11293597
80	105	11293650
80	105	11311034
80	110	11293692
80	120	11293818
80	125	11293691
82	105	11293690
85	105	11293689
85	110	11293596
85	115	11300153
85	120	11293688
90	110	11293595
90	120	11293594
90	130	11293817
90	140	11293836
95	120	11293588
100	120	11293593
100	120	11293677
100	125	11293649
100	130	11293648
105	125	11293684
105	130	11293683
105	140	11293676
105	150	11293835
107	130	11318661
108	130	11293816
110	130	11293587
110	140	11293586
110	150	11293585
114	140	11293682
115	140	11293647
115	150	11293815
115	150	11315134
118	140	11293833
120	140	11293646
120	140	11301576

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Shaft diameter	Housing diameter	Article
mm	mm	Max. 200 articles in the table
120	150	11293584
120	150	11293583
125	150	11293645
125	160	11300156
125	170	11300157
130	160	11293675
130	160	11312568
130	160	11293582
135	160	11293644
135	160	11300196
140	160	11300201
140	170	11293643
140	170	11111831
140	170	11293581
140	180	11293744
145	170	11293673
145	180	11293665
148	170	11293664
150	170	11293557
150	180	11293552
150	180	11293663
150	190	11300159
155	190	11293813
158	180	11293672
160	180	11311035
160	190	11293831
160	190	11293662
160	200	11293661
165	190	11318695
165	190	11293660
165	200	11300160
170	200	11293659
170	200	11293553
180	200	11293671
180	210	11293658
180	215	11293657
180	220	11293743
185	215	11293656
185	230	11300161
190	215	11293655
190	220	11293577
190	220	11293554
190	230	11293830
195	220	11300162
195	230	11293829
195	230	11312985
200	230	11293654
200	250	11293742
205	250	11310461
210	240	11293828
210	250	11293556
210	250	11311391
215	250	11318699

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Shaft diameter	Housing diameter	Article
mm	mm	Max. 200 articles in the table
220	250	11293555
220	250	11307576
225	250	11293827
225	270	11293812
230	260	11295501
230	270	11293741
240	270	11295899
240	280	11293740
245	270	11300164
250	280	11319216
250	280	11293739
250	280	11311433
250	290	11293826
250	290	11311434
260	290	11293653
260	300	11293738
260	300	11307374
260	310	11293652
265	290	11300166
270	310	11293737
270	310	11311436
280	310	11295495
280	320	11300172
290	330	11293551
300	332	11293731
300	335	11293736
300	340	11300041
315	355	11295506
320	360	11293730
340	372	11311387
340	372	11311441
340	380	11295897
360	400	11295509
360	400	11318901
365	405	11297445
380	420	11293734
390	430	11293733
390	430	11311444
400	440	11300170
420	460	11293728
440	470	11299702
440	480	11297444
440	480	11325373
460	500	11311386
467	510	11295507
467	510	11301578
480	520	11311390
530	580	11301197
640	680	11311389
640	680	11311451

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.