





Mechanical Seal stator type SAO

Size table:

d1 mm	d7 mm	l4 mm
10	19.2	6.6
12	21.6	5.6
14	24.6	5.6
15	24.6	6.6
16	28	7.5
18	30	8
19	31	7.5
20	35	7.5
22	35	7.5
24	38	7.5
25	38	7.5
26	40	8
28	42	9
30	45	10.5
32	48	10.5
33	48	11
35	52	11
38	55	10.3
40	58	10.8
42	62	12
43	62	12
45	64	11.6
48	68.4	11.6
50	69.3	11.6
53	72.3	12.3
53	73	15
55	75.4	13.3
58	78.4	13.3
60	80.4	13.3



Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.



Size table:

d1	d7	l4
63		
65	85.4	13
68	91.5	13.7
70	92	13
75	99	14
80	104	15
85	109	14.8
90	114	14.8
95	120.3	15.8
100	123.3	15.8

Countersliding ring material	Secondary seal material	d1	d7	l4	Article
		mm	mm	mm	
Siliciumcarbide	EPDM	10	19.2	6.6	12411632
Siliciumcarbide	FPM	10	19.2	6.6	12411669
Siliciumcarbide	NBR	10	19.2	6.6	12411645
Carbon	NBR	12	21.6	5.6	12412089
Siliciumcarbide	EPDM	12	21.6	5.6	12412075
Siliciumcarbide	FPM	12	21.6	5.6	12412107
Siliciumcarbide	NBR	12	21.6	5.6	12412092
Tungstencarbide	NBR	12	21.6	5.6	12412087
Siliciumcarbide	EPDM	14	24.6	5.6	12412602
Siliciumcarbide	FPM	14	24.6	5.6	12412636
Siliciumcarbide	NBR	14	24.6	5.6	12412619
Tungstencarbide	FPM	14	24.6	5.6	12412631
Tungstencarbide	NBR	14	24.6	5.6	12412614
Siliciumcarbide	EPDM	15	24.6	6.6	12412905
Siliciumcarbide	FPM	15	24.6	6.6	12412933
Siliciumcarbide	NBR	15	24.6	6.6	12412920
Tungstencarbide	NBR	15	24.6	6.6	12412916
Siliciumcarbide	EPDM	16	28	7.5	12413375
Siliciumcarbide	FPM	16	28	7.5	12413407
Siliciumcarbide	NBR	16	28	7.5	12413391
Tungstencarbide	EPDM	16	28	7.5	12413371
Tungstencarbide	FPM	16	28	7.5	12413403
Tungstencarbide	NBR	16	28	7.5	12413387
Siliciumcarbide	EPDM	18	30	8	12413828
Siliciumcarbide	FPM	18	30	8	12413861
Siliciumcarbide	NBR	18	30	8	12413845
Tungstencarbide	FPM	18	30	8	12413857
Tungstencarbide	NBR	18	30	8	12413840
Carbon	EPDM	19	31	7.5	12413984
Carbon	FPM	19	31	7.5	12414008
Carbon	NBR	19	31	7.5	12413996
Siliciumcarbide	EPDM	19	31	7.5	12413985
Siliciumcarbide	NBR	19	31	7.5	12413997
Tungstencarbide	EPDM	19	31	7.5	12413983
Tungstencarbide	FPM	19	31	7.5	12414007

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Countersliding ring material	Secondary seal material	d1 mm	d7 mm	l4 mm	Article
Tungstencarbide	NBR	19	31	7.5	12413995
Siliciumcarbide	EPDM	20	35	7.5	12414396
Siliciumcarbide	FPM	20	35	7.5	12414427
Siliciumcarbide	NBR	20	35	7.5	12414412
Tungstencarbide	FPM	20	35	7.5	12414423
Tungstencarbide	NBR	20	35	7.5	12414407
Siliciumcarbide	EPDM	22	35	7.5	12414843
Siliciumcarbide	FPM	22	35	7.5	12414875
Siliciumcarbide	NBR	22	35	7.5	12414860
Tungstencarbide	FPM	22	35	7.5	12414871
Tungstencarbide	NBR	22	35	7.5	12414855
Carbon	FPM	24	38	7.5	12415388
Siliciumcarbide	EPDM	24	38	7.5	12415359
Siliciumcarbide	FPM	24	38	7.5	12415390
Siliciumcarbide	NBR	24	38	7.5	12415375
Tungstencarbide	EPDM	24	38	7.5	12415355
Tungstencarbide	FPM	24	38	7.5	12415386
Tungstencarbide	NBR	24	38	7.5	12415371
Siliciumcarbide	EPDM	25	38	7.5	12415757
Siliciumcarbide	FPM	25	38	7.5	12415789
Siliciumcarbide	NBR	25	38	7.5	10033305
Tungstencarbide	EPDM	25	38	7.5	12415753
Tungstencarbide	FPM	25	38	7.5	12415783
Tungstencarbide	NBR	25	38	7.5	12415769
Carbon	EPDM	26	40	8	12415911
Carbon	FPM	26	40	8	12415927
Carbon	NBR	26	40	8	12415915
Siliciumcarbide	EPDM	26	40	8	12415912
Siliciumcarbide	FPM	26	40	8	12415928
Siliciumcarbide	NBR	26	40	8	12415916
Tungstencarbide	EPDM	26	40	8	12415910
Tungstencarbide	FPM	26	40	8	12415926
Tungstencarbide	NBR	26	40	8	12415914
Siliciumcarbide	EPDM	28	42	9	12416254
Siliciumcarbide	FPM	28	42	9	12416287
Siliciumcarbide	NBR	28	42	9	12416271
Tungstencarbide	NBR	28	42	9	12416266
Siliciumcarbide	EPDM	30	45	10.5	12416785
Siliciumcarbide	FPM	30	45	10.5	12416815
Siliciumcarbide	NBR	30	45	10.5	12416802
Tungstencarbide	NBR	30	45	10.5	12416797
Carbon	EPDM	32	48	10.5	12417254
Siliciumcarbide	EPDM	32	48	10.5	12417257
Siliciumcarbide	FPM	32	48	10.5	12417289
Siliciumcarbide	NBR	32	48	10.5	12417274
Tungstencarbide	FPM	32	48	10.5	12417284
Tungstencarbide	NBR	32	48	10.5	12417269
Siliciumcarbide	EPDM	33	48	11	12417663
Siliciumcarbide	FPM	33	48	11	12417684
Siliciumcarbide	NBR	33	48	11	12417672
Tungstencarbide	EPDM	33	48	11	12417659
Tungstencarbide	NBR	33	48	11	12417667

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Countersliding ring material	Secondary seal material	d1 mm	d7 mm	l4 mm	Article
Carbon	EPDM	35	52	11	12418110
Carbon	FPM	35	52	11	12418143
Siliciumcarbide	EPDM	35	52	11	12418113
Siliciumcarbide	FPM	35	52	11	12418146
Siliciumcarbide	NBR	35	52	11	12418130
Tungstencarbide	FPM	35	52	11	12418140
Tungstencarbide	NBR	35	52	11	12418125
Siliciumcarbide	EPDM	38	55	10.3	12418519
Siliciumcarbide	FPM	38	55	10.3	12418553
Siliciumcarbide	NBR	38	55	10.3	12418536
Tungstencarbide	EPDM	38	55	10.3	12418515
Tungstencarbide	FPM	38	55	10.3	12418548
Tungstencarbide	NBR	38	55	10.3	12418531
Siliciumcarbide	EPDM	40	58	10.8	12419006
Siliciumcarbide	FPM	40	58	10.8	12419035
Siliciumcarbide	NBR	40	58	10.8	12419021
Carbon	EPDM	42	62	12	12419167
Carbon	FPM	42	62	12	12419181
Siliciumcarbide	EPDM	42	62	12	12419168
Siliciumcarbide	FPM	42	62	12	12419182
Siliciumcarbide	NBR	42	62	12	12419170
Tungstencarbide	EPDM	42	62	12	12419166
Tungstencarbide	FPM	42	62	12	12419180
Tungstencarbide	NBR	42	62	12	12419169
Siliciumcarbide	EPDM	43	62	12	12419449
Siliciumcarbide	FPM	43	62	12	12419481
Siliciumcarbide	NBR	43	62	12	12419466
Tungstencarbide	NBR	43	62	12	12419461
Siliciumcarbide	EPDM	45	64	11.6	12419904
Siliciumcarbide	FPM	45	64	11.6	12419935
Siliciumcarbide	NBR	45	64	11.6	12419919
Tungstencarbide	FPM	45	64	11.6	12419931
Siliciumcarbide	EPDM	48	68.4	11.6	12420300
Siliciumcarbide	FPM	48	68.4	11.6	12420328
Siliciumcarbide	NBR	48	68.4	11.6	12420315
Siliciumcarbide	FPM	50	69.3	11.6	12420670
Siliciumcarbide	NBR	50	69.3	11.6	12420655
Tungstencarbide	FPM	50	69.3	11.6	12420666
Tungstencarbide	NBR	50	69.3	11.6	12420650
Siliciumcarbide	NBR	53	72.3	12.3	12421035
Siliciumcarbide	FPM	53	73	15	12421046
Siliciumcarbide	EPDM	55	75.4	13.3	12421418
Siliciumcarbide	FPM	55	75.4	13.3	12421444
Siliciumcarbide	NBR	55	75.4	13.3	12421432
Siliciumcarbide	EPDM	58	78.4	13.3	12421785
Siliciumcarbide	FPM	58	78.4	13.3	12421815
Siliciumcarbide	NBR	58	78.4	13.3	12421801
Tungstencarbide	NBR	58	78.4	13.3	12421797
Siliciumcarbide	EPDM	60	80.4	13.3	12422122
Siliciumcarbide	FPM	60	80.4	13.3	12422152
Siliciumcarbide	NBR	60	80.4	13.3	12422137
Siliciumcarbide	EPDM	63			12422376

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Countersliding ring material	Secondary seal material	d1 mm	d7 mm	l4 mm	Article
Siliciumcarbide	FPM	63			12422391
Siliciumcarbide	NBR	63			12422381
Siliciumcarbide	FPM	65	85.4	13	12422762
Siliciumcarbide	NBR	65	85.4	13	12422746
Tungstencarbide	EPDM	65	85.4	13	12422729
Tungstencarbide	FPM	65	85.4	13	12422757
Tungstencarbide	NBR	65	85.4	13	12422742
Siliciumcarbide	EPDM	68	91.5	13.7	12423068
Siliciumcarbide	FPM	68	91.5	13.7	12423097
Siliciumcarbide	NBR	68	91.5	13.7	12423082
Siliciumcarbide	FPM	70	92	13	12423487
Siliciumcarbide	NBR	70	92	13	12423472
Siliciumcarbide	NBR	75	99	14	12423873
Tungstencarbide	FPM	75	99	14	12423884
Tungstencarbide	NBR	75	99	14	12423869
Siliciumcarbide	FPM	80	104	15	12424302
Siliciumcarbide	NBR	80	104	15	12424283
Tungstencarbide	FPM	80	104	15	12424298
Siliciumcarbide	FPM	85	109	14.8	12424626
Siliciumcarbide	NBR	85	109	14.8	12424612
Siliciumcarbide	FPM	90	114	14.8	12424951
Siliciumcarbide	FPM	95	120.3	15.8	12425216
Tungstencarbide	FPM	95	120.3	15.8	12425211
Siliciumcarbide	FPM	100	123.3	15.8	12425549
Siliciumcarbide	NBR	100	123.3	15.8	12425535

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.