




Mechanical Seal stator type SDA

Size table:

d1 mm	d7 mm	l4 mm
12	23	6.6
14	25	6.6
16	27	6.6
18	33	7.5
20	35	7.5
22	37	7.5
24	39	7.5
25	40	7.5
28	43	7.5
30	45	7.5
32	48	7.5
33	48	7.5
35	50	7.5
38	56	7.5
40	58	9
43	61	9
45	63	9
48	66	9
50	70	9.5
53	73	11
55	75	11
58	78	11
100	125	14



Countersliding ring material	Secondary seal material	d1 mm	d7 mm	l4 mm	Article
					Max. 200 articles in the table
Ceramics	EPDM	12	23	6.6	12411987
Ceramics	FPM	12	23	6.6	12411997
Ceramics	NBR	12	23	6.6	12411992
Siliciumcarbide	EPDM	12	23	6.6	12411990
Siliciumcarbide	FPM	12	23	6.6	12412000

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Countersliding ring material	Secondary seal material	d1	d7	l4	Article
		mm	mm	mm	Max. 200 articles in the table
Siliciumcarbide	NBR	12	23	6.6	12411995
Tungstencarbide	EPDM	12	23	6.6	12411989
Tungstencarbide	FPM	12	23	6.6	12411999
Tungstencarbide	NBR	12	23	6.6	12411994
Ceramics	EPDM	14	25	6.6	12412520
Ceramics	FPM	14	25	6.6	12412529
Ceramics	NBR	14	25	6.6	12412525
Siliciumcarbide	EPDM	14	25	6.6	12412523
Siliciumcarbide	FPM	14	25	6.6	12412532
Siliciumcarbide	NBR	14	25	6.6	12412528
Tungstencarbide	EPDM	14	25	6.6	12412522
Tungstencarbide	FPM	14	25	6.6	12412531
Tungstencarbide	NBR	14	25	6.6	12412527
Ceramics	EPDM	16	27	6.6	12413291
Ceramics	FPM	16	27	6.6	12413300
Ceramics	NBR	16	27	6.6	12413295
Siliciumcarbide	EPDM	16	27	6.6	12413294
Siliciumcarbide	FPM	16	27	6.6	12413303
Siliciumcarbide	NBR	16	27	6.6	12413298
Tungstencarbide	EPDM	16	27	6.6	12413293
Tungstencarbide	FPM	16	27	6.6	12413302
Tungstencarbide	NBR	16	27	6.6	12413297
Ceramics	EPDM	18	33	7.5	12413743
Ceramics	FPM	18	33	7.5	12413753
Ceramics	NBR	18	33	7.5	12413748
Siliciumcarbide	EPDM	18	33	7.5	12413746
Siliciumcarbide	FPM	18	33	7.5	12413756
Siliciumcarbide	NBR	18	33	7.5	12413751
Tungstencarbide	EPDM	18	33	7.5	12413745
Tungstencarbide	FPM	18	33	7.5	12413755
Tungstencarbide	NBR	18	33	7.5	12413750
Ceramics	EPDM	20	35	7.5	12414312
Ceramics	FPM	20	35	7.5	12414321
Ceramics	NBR	20	35	7.5	12414316
Siliciumcarbide	EPDM	20	35	7.5	12414314
Siliciumcarbide	FPM	20	35	7.5	12414324
Siliciumcarbide	NBR	20	35	7.5	12414319
Tungstencarbide	EPDM	20	35	7.5	12414313
Tungstencarbide	FPM	20	35	7.5	12414323
Tungstencarbide	NBR	20	35	7.5	12414318
Ceramics	EPDM	22	37	7.5	12414762
Ceramics	FPM	22	37	7.5	12414772
Ceramics	NBR	22	37	7.5	12414767
Siliciumcarbide	EPDM	22	37	7.5	12414765
Siliciumcarbide	FPM	22	37	7.5	12414775
Siliciumcarbide	NBR	22	37	7.5	12414770
Tungstencarbide	EPDM	22	37	7.5	12414764
Tungstencarbide	FPM	22	37	7.5	12414774
Tungstencarbide	NBR	22	37	7.5	12414769
Ceramics	EPDM	24	39	7.5	12415277
Ceramics	FPM	24	39	7.5	12415286
Ceramics	NBR	24	39	7.5	12415281

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Countersliding ring material	Secondary seal material	d1	d7	l4	Article
		mm	mm	mm	
Siliciumcarbide	EPDM	24	39	7.5	12415280
Siliciumcarbide	FPM	24	39	7.5	12415289
Siliciumcarbide	NBR	24	39	7.5	12415284
Tungstencarbide	EPDM	24	39	7.5	12415279
Tungstencarbide	FPM	24	39	7.5	12415288
Tungstencarbide	NBR	24	39	7.5	12415283
Ceramics	EPDM	25	40	7.5	12415680
Ceramics	FPM	25	40	7.5	12415688
Ceramics	NBR	25	40	7.5	12415684
Siliciumcarbide	EPDM	25	40	7.5	12415682
Siliciumcarbide	FPM	25	40	7.5	12415690
Siliciumcarbide	NBR	25	40	7.5	12415687
Tungstencarbide	EPDM	25	40	7.5	12415681
Tungstencarbide	FPM	25	40	7.5	12415689
Tungstencarbide	NBR	25	40	7.5	12415686
Ceramics	EPDM	28	43	7.5	12416171
Ceramics	FPM	28	43	7.5	12416180
Ceramics	NBR	28	43	7.5	12416175
Siliciumcarbide	EPDM	28	43	7.5	12416174
Siliciumcarbide	FPM	28	43	7.5	11187825
Siliciumcarbide	NBR	28	43	7.5	12416178
Tungstencarbide	EPDM	28	43	7.5	12416173
Tungstencarbide	FPM	28	43	7.5	12416182
Tungstencarbide	NBR	28	43	7.5	12416177
Ceramics	EPDM	30	45	7.5	12416705
Ceramics	FPM	30	45	7.5	12416712
Ceramics	NBR	30	45	7.5	12416708
Siliciumcarbide	EPDM	30	45	7.5	12416707
Siliciumcarbide	FPM	30	45	7.5	12416715
Siliciumcarbide	NBR	30	45	7.5	12416711
Tungstencarbide	EPDM	30	45	7.5	12416706
Tungstencarbide	FPM	30	45	7.5	12416714
Tungstencarbide	NBR	30	45	7.5	12416710
Ceramics	EPDM	32	48	7.5	12417175
Ceramics	FPM	32	48	7.5	12417185
Ceramics	NBR	32	48	7.5	12417180
Siliciumcarbide	EPDM	32	48	7.5	12417178
Siliciumcarbide	FPM	32	48	7.5	12417188
Siliciumcarbide	NBR	32	48	7.5	12417183
Tungstencarbide	EPDM	32	48	7.5	12417177
Tungstencarbide	FPM	32	48	7.5	12417187
Tungstencarbide	NBR	32	48	7.5	12417182
Ceramics	EPDM	33	48	7.5	12417578
Ceramics	FPM	33	48	7.5	12345490
Ceramics	NBR	33	48	7.5	12417582
Siliciumcarbide	EPDM	33	48	7.5	11532190
Siliciumcarbide	FPM	33	48	7.5	12417589
Siliciumcarbide	NBR	33	48	7.5	12417585
Tungstencarbide	EPDM	33	48	7.5	12417580
Tungstencarbide	FPM	33	48	7.5	12417588
Tungstencarbide	NBR	33	48	7.5	12417584
Ceramics	EPDM	35	50	7.5	12418033

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Countersliding ring material	Secondary seal material	d1	d7	l4	Article
		mm	mm	mm	Max. 200 articles in the table
Ceramics	FPM	35	50	7.5	12418042
Ceramics	NBR	35	50	7.5	12418038
Siliciumcarbide	EPDM	35	50	7.5	12418036
Siliciumcarbide	FPM	35	50	7.5	12418055
Siliciumcarbide	NBR	35	50	7.5	12418041
Tungstencarbide	EPDM	35	50	7.5	12418035
Tungstencarbide	FPM	35	50	7.5	12418054
Tungstencarbide	NBR	35	50	7.5	12418040
Ceramics	EPDM	38	56	7.5	12418453
Ceramics	FPM	38	56	7.5	12418461
Ceramics	NBR	38	56	7.5	12418456
Siliciumcarbide	EPDM	38	56	7.5	12418455
Siliciumcarbide	FPM	38	56	7.5	11300063
Siliciumcarbide	NBR	38	56	7.5	12418459
Tungstencarbide	EPDM	38	56	7.5	12418454
Tungstencarbide	FPM	38	56	7.5	12418463
Tungstencarbide	NBR	38	56	7.5	12418458
Ceramics	EPDM	40	58	9	12418923
Ceramics	FPM	40	58	9	12418932
Ceramics	NBR	40	58	9	12418928
Siliciumcarbide	EPDM	40	58	9	12418926
Siliciumcarbide	FPM	40	58	9	12418935
Siliciumcarbide	NBR	40	58	9	12418930
Tungstencarbide	EPDM	40	58	9	12418925
Tungstencarbide	FPM	40	58	9	12418934
Tungstencarbide	NBR	40	58	9	12418929
Ceramics	EPDM	43	61	9	12419366
Ceramics	FPM	43	61	9	12419374
Ceramics	NBR	43	61	9	12419370
Siliciumcarbide	EPDM	43	61	9	11287056
Siliciumcarbide	FPM	43	61	9	12419377
Siliciumcarbide	NBR	43	61	9	12336965
Tungstencarbide	EPDM	43	61	9	12419368
Tungstencarbide	FPM	43	61	9	12419376
Tungstencarbide	NBR	43	61	9	12419372
Ceramics	EPDM	45	63	9	12419827
Ceramics	FPM	45	63	9	12308259
Ceramics	NBR	45	63	9	12419831
Siliciumcarbide	EPDM	45	63	9	12419830
Siliciumcarbide	FPM	45	63	9	12419838
Siliciumcarbide	NBR	45	63	9	12419834
Tungstencarbide	EPDM	45	63	9	12419829
Tungstencarbide	FPM	45	63	9	12419837
Tungstencarbide	NBR	45	63	9	12419833
Ceramics	EPDM	48	66	9	12420219
Ceramics	FPM	48	66	9	12420229
Ceramics	NBR	48	66	9	12420224
Siliciumcarbide	EPDM	48	66	9	12420222
Siliciumcarbide	FPM	48	66	9	12420232
Siliciumcarbide	NBR	48	66	9	12420227
Tungstencarbide	EPDM	48	66	9	12420221
Tungstencarbide	FPM	48	66	9	12420231

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Countersliding ring material	Secondary seal material	d1 mm	d7 mm	l4 mm	Article Max. 200 articles in the table
Tungstencarbide	NBR	48	66	9	12420226
Ceramics	EPDM	50	70	9.5	12420554
Ceramics	FPM	50	70	9.5	12420564
Ceramics	NBR	50	70	9.5	12420559
Siliciumcarbide	EPDM	50	70	9.5	12420557
Siliciumcarbide	FPM	50	70	9.5	12324866
Siliciumcarbide	NBR	50	70	9.5	12420562
Tungstencarbide	EPDM	50	70	9.5	12420556
Tungstencarbide	FPM	50	70	9.5	12420566
Tungstencarbide	NBR	50	70	9.5	12420561
Ceramics	EPDM	53	73	11	12420940
Ceramics	FPM	53	73	11	12420950
Ceramics	NBR	53	73	11	12420945
Siliciumcarbide	EPDM	53	73	11	12420943
Siliciumcarbide	FPM	53	73	11	12420953
Siliciumcarbide	NBR	53	73	11	12420948
Tungstencarbide	EPDM	53	73	11	12420942
Tungstencarbide	FPM	53	73	11	12420952
Tungstencarbide	NBR	53	73	11	12420947
Ceramics	EPDM	55	75	11	12421335
Ceramics	FPM	55	75	11	12421343
Ceramics	NBR	55	75	11	12421339
Siliciumcarbide	EPDM	55	75	11	12421338
Siliciumcarbide	FPM	55	75	11	12421346
Siliciumcarbide	NBR	55	75	11	12421342
Tungstencarbide	EPDM	55	75	11	12421337
Tungstencarbide	FPM	55	75	11	12421345
Tungstencarbide	NBR	55	75	11	12421341
Ceramics	EPDM	58	78	11	12421698
Ceramics	FPM	58	78	11	12421708
Ceramics	NBR	58	78	11	12421703
Siliciumcarbide	EPDM	58	78	11	12421701
Siliciumcarbide	FPM	58	78	11	12421711
Siliciumcarbide	NBR	58	78	11	12421706
Tungstencarbide	EPDM	58	78	11	12421700
Tungstencarbide	FPM	58	78	11	12421710
Tungstencarbide	NBR	58	78	11	12421705
Siliciumcarbide	FPM	100	125	14	12308997

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.