

GATES Hydraulic hose MegaSys® EFG3K-MTF (R12) MegaTuff

Characteristics

Series: MegaSys® MegaTuff™

Type: EFG3K-MTF

Material of inner wall: NBR

Material of outer wall: CR

Quality cover: Gates Megatuff

Temperature range [°C]: -40 / 121 °C

EN standard: EN 856-R12

SAE standard: SAE 100 R12

ISO standard: ISO 3862 R12

Application

- Extremely high pressure and high impulse hydraulic applications.

Technical Information

Temperature range:

- 40°C to +121°C

Construction

Tube:

- NBR (Nitrile) based.

Reinforcement:

- Four alternating layers of spiralled, high tensile steel wire.

Cover:

- CR (Chloroprene) based.
- MSHA approved.

Execution

- Up to 40% of EN 856 4SP bend radius at rated working pressure.
- Extremely flexible.
- Superior flex impulse performance: tested to 1,000,000 impulse cycles at 50% of EN 856 R12 and SAE 100R12 bend radii (except -32).
- EFG3K-MTF hose is compatible with biodegradable hydraulic fluids like synthetic esters, polyglycols and vegetable oils as well as petroleum-based fluids.
- Gates special MegaTuff™ cover offers 300 times the abrasion resistance of the standard EFG3K cover as per ISO 6945, superior ozone and weathering resistance.

Approval

Standards:

- Exceeds ISO 3862 R12. EN 856 R12. SAE 100 R12.
- Meets or exceeds performance requirements of EN 856 4SP.

Type approval:

- DNV

Options

Recommended couplings:

- 20 : GlobalSpiral
- 24 to -32 : GlobalSpiral Plus

Code	Hose ID (DN)	Hose ID	Outer diameter	Maximum operating pressure	Minimum burst pressure	Minimum bending radius	Outside wall colour	Weight	Article
		in	mm	bar	bar	mm		kg/m	
20EFG3K-MTF	DN31	1.1/4"	47	210	840	210	Black	2.82	975109
24EFG3K-MTF	DN38	1.1/2"	53.6	210	840	250	Black	3.2	1021052
32EFG3K-MTF	DN51	2"	66.8	210	840	635	Black	4.39	11374393

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.