



OPTIBELT Timing Belt ZR section H

Characteristics
Series: ZR CLASSIC
Type: H-150

Pitch length mm	Pitch length in	Width mm	Pitch mm	Pitch in	Double-sided	Material	Article
584.2	23	19.05	12.7	1/2	No	CR	12026041
584.2	23	25.4	12.7	1/2	No	CR	12026042
584.2	23	38.1	12.7	1/2	No	CR	12026043
584.2	23	50.8	12.7	1/2	No	CR	12026044
584.2	23	76.2	12.7	1/2	No	CR	12026045
609.6	24	19.05	12.7	1/2			23200859
609.6	24	25.4	12.7	1/2			23200855
609.6	24	38.1	12.7	1/2			23200856
609.6	24	50.8	12.7	1/2			23200857
609.6	24	76.2	12.7	1/2			23200858
647.7	25.5	19.05	12.7	1/2	No	CR	12026070
647.7	25.5	25.4	12.7	1/2			23200869
647.7	25.5	38.1	12.7	1/2	No	CR	12026071
647.7	25.5	50.8	12.7	1/2	No	CR	12026072
647.7	25.5	76.2	12.7	1/2	No	CR	12026073
685.8	27	19.05	12.7	1/2			23200877
685.8	27	25.4	12.7	1/2			23200874
685.8	27	38.1	12.7	1/2			23200875
685.8	27	50.8	12.7	1/2			23200876
685.8	27	76.2	12.7	1/2	No	CR	12026079
711.2	28	19.05	12.7	1/2	No	CR	12026090
711.2	28	25.4	12.7	1/2	No	CR	12026091
711.2	28	38.1	12.7	1/2	No	CR	12026092
711.2	28	50.8	12.7	1/2	No	CR	12026093
711.2	28	76.2	12.7	1/2	No	CR	12026094
762	30	25.4	12.7	1/2			23200894
762	30	38.1	12.7	1/2			23200895
762	30	50.8	12.7	1/2			23200896
762	30	76.2	12.7	1/2	No	CR	12026110
838.2	33	19.05	12.7	1/2			23200907
838.2	33	25.4	12.7	1/2			23200906
838.2	33	38.1	12.7	1/2			23200908
838.2	33	50.8	12.7	1/2			23200909
838.2	33	76.2	12.7	1/2	No	CR	12026130
850.9	33.5	19.05	12.7	1/2	No	CR	12026133
850.9	33.5	25.4	12.7	1/2	No	CR	12026134
850.9	33.5	38.1	12.7	1/2	No	CR	12026135
850.9	33.5	50.8	12.7	1/2	No	CR	12026136
850.9	33.5	76.2	12.7	1/2	No	CR	12026137
889	35	19.05	12.7	1/2	No	CR	12026147
889	35	25.4	12.7	1/2	No	CR	12026148
889	35	38.1	12.7	1/2	No	CR	12026149
889	35	50.8	12.7	1/2	No	CR	12026150

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Pitch length mm	Pitch length in	Width mm	Pitch mm	Pitch in	Double-sided	Material	Article
889	35	76.2	12.7	1/2	No	CR	12026151
914.4	36	19.05	12.7	1/2	No	CR	12026155
914.4	36	25.4	12.7	1/2			23200914
914.4	36	38.1	12.7	1/2			23200917
914.4	36	50.8	12.7	1/2			23200918
914.4	36	76.2	12.7	1/2	No	CR	12026156
939.8	37	19.05	12.7	1/2			23200916
939.8	37	25.4	12.7	1/2			23200915
939.8	37	38.1	12.7	1/2	No	CR	12026171
939.8	37	50.8	12.7	1/2	No	CR	12026172
939.8	37	76.2	12.7	1/2	No	CR	12026173
990.6	39	19.05	12.7	1/2			23200924
990.6	39	25.4	12.7	1/2			23200923
990.6	39	38.1	12.7	1/2			23200925
990.6	39	50.8	12.7	1/2			23200926
990.6	39	76.2	12.7	1/2			23200927
1016	40	19.05	12.7	1/2	No	CR	12026194
1016	40	25.4	12.7	1/2	No	CR	12026195
1016	40	50.8	12.7	1/2	No	CR	12026196
1016	40	76.2	12.7	1/2	No	CR	12026197
1066.8	42	19.05	12.7	1/2			23200939
1066.8	42	25.4	12.7	1/2			23200936
1066.8	42	38.1	12.7	1/2			23200937
1066.8	42	50.8	12.7	1/2			23200938
1066.8	42	76.2	12.7	1/2	No	CR	12026207
1092.2	43	19.05	12.7	1/2	No	CR	12026209
1092.2	43	25.4	12.7	1/2	No	CR	12026210
1092.2	43	38.1	12.7	1/2	No	CR	12026211
1092.2	43	50.8	12.7	1/2			23200985
1092.2	43	76.2	12.7	1/2	No	CR	12026212
1143	45	25.4	12.7	1/2			23200942
1143	45	38.1	12.7	1/2			23200944
1143	45	50.8	12.7	1/2			23200946
1143	45	76.2	12.7	1/2			23200947
1181.1	46.5	19.05	12.7	1/2	No	CR	12026245
1181.1	46.5	25.4	12.7	1/2	No	CR	12026246
1181.1	46.5	38.1	12.7	1/2	No	CR	12026247
1181.1	46.5	50.8	12.7	1/2	No	CR	12026248
1181.1	46.5	76.2	12.7	1/2	No	CR	12026249
1219.2	48	19.05	12.7	1/2			23200953
1219.2	48	25.4	12.7	1/2			23200952
1219.2	48	38.1	12.7	1/2			23200945
1219.2	48	50.8	12.7	1/2			23200954
1219.2	48	76.2	12.7	1/2			23200955
1295.4	51	19.05	12.7	1/2			23200964
1295.4	51	25.4	12.7	1/2			23200961
1295.4	51	38.1	12.7	1/2			23200962
1295.4	51	50.8	12.7	1/2			23200963
1295.4	51	76.2	12.7	1/2	No	CR	12026265
1346.2	53	25.4	12.7	1/2	No	CR	13421354
1371.6	54	25.4	12.7	1/2			23200968
1371.6	54	38.1	12.7	1/2			23200969
1371.6	54	50.8	12.7	1/2	No	CR	12026275

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Pitch length mm	Pitch length in	Width mm	Pitch mm	Pitch in	Double-sided	Material	Article
1371.6	54	76.2	12.7	1/2			23200970
1422.4	56	19.05	12.7	1/2	No	CR	12026279
1422.4	56	38.1	12.7	1/2	No	CR	12026281
1422.4	56	50.8	12.7	1/2	No	CR	12026282
1422.4	56	76.2	12.7	1/2	No	CR	12026283
1447.8	57	19.05	12.7	1/2			23200976
1447.8	57	25.4	12.7	1/2			23200975
1447.8	57	38.1	12.7	1/2			23200979
1447.8	57	50.8	12.7	1/2			23200980
1524	60	19.05	12.7	1/2	No	CR	12026300
1524	60	25.4	12.7	1/2			23200981
1524	60	38.1	12.7	1/2	No	CR	23200982
1524	60	50.8	12.7	1/2			23200984
1524	60	76.2	12.7	1/2			23200987
1600.2	63	19.05	12.7	1/2			23200993
1600.2	63	25.4	12.7	1/2			23200992
1600.2	63	38.1	12.7	1/2			23200994
1600.2	63	50.8	12.7	1/2	No	CR	12026310
1600.2	63	76.2	12.7	1/2			23200995
1651	65	19.05	12.7	1/2	No	CR	12026325
1651	65	50.8	12.7	1/2	No	CR	12026328
1651	65	76.2	12.7	1/2	No	CR	12026329
1676.4	66	19.05	12.7	1/2			23200999
1676.4	66	25.4	12.7	1/2			23200996
1676.4	66	38.1	12.7	1/2			23200997
1676.4	66	50.8	12.7	1/2			23200998
1676.4	66	76.2	12.7	1/2	No	CR	12026332
1727.2	68	19.05	12.7	1/2	No	CR	12026341
1727.2	68	25.4	12.7	1/2	No	CR	12026342
1727.2	68	38.1	12.7	1/2	No	CR	12026343
1727.2	68	50.8	12.7	1/2	No	CR	12026344
1727.2	68	76.2	12.7	1/2	No	CR	12026345
1778	70	19.05	12.7	1/2			23201005
1778	70	25.4	12.7	1/2			23201004
1778	70	38.1	12.7	1/2			23201006
1778	70	50.8	12.7	1/2			23201007
1778	70	76.2	12.7	1/2			23201008
1854.2	73	19.05	12.7	1/2	No	CR	12026365
1854.2	73	25.4	12.7	1/2	No	CR	12026366
1854.2	73	38.1	12.7	1/2	No	CR	12026367
1854.2	73	50.8	12.7	1/2	No	CR	12026368
1854.2	73	76.2	12.7	1/2	No	CR	12026369
1905	75	19.05	12.7	1/2	No	CR	12026373
1905	75	25.4	12.7	1/2			23201009
1905	75	38.1	12.7	1/2			23201011
1905	75	50.8	12.7	1/2			23201012
1905	75	76.2	12.7	1/2	No	CR	12026374
1955.8	77	19.05	12.7	1/2	No	CR	12026380
1955.8	77	25.4	12.7	1/2	No	CR	12026381
1955.8	77	38.1	12.7	1/2	No	CR	12026382
1955.8	77	50.8	12.7	1/2	No	CR	12026383
1955.8	77	76.2	12.7	1/2	No	CR	12026384
2032	80	19.05	12.7	1/2			23201019

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Pitch length mm	Pitch length in	Width mm	Pitch mm	Pitch in	Double-sided	Material	Article
2032	80	25.4	12.7	1/2			23201018
2032	80	38.1	12.7	1/2			23201020
2032	80	50.8	12.7	1/2	No	CR	12026392
2032	80	76.2	12.7	1/2			23201021
2159	85	19.05	12.7	1/2			23201023
2159	85	25.4	12.7	1/2			23201022
2159	85	38.1	12.7	1/2			23201025
2159	85	50.8	12.7	1/2			23201024
2159	85	76.2	12.7	1/2	No	CR	12026419
2184.4	86	19.05	12.7	1/2	No	CR	12026423
2184.4	86	25.4	12.7	1/2	No	CR	12026424
2184.4	86	38.1	12.7	1/2	No	CR	12026425
2184.4	86	50.8	12.7	1/2	No	CR	12026426
2184.4	86	76.2	12.7	1/2	No	CR	12026427
2286	90	19.05	12.7	1/2			23201032
2286	90	50.8	12.7	1/2			23201031
2286	90	76.2	12.7	1/2	No	CR	12026444
2413	95	19.05	12.7	1/2	No	CR	12026463
2413	95	25.4	12.7	1/2	No	CR	12026464
2413	95	38.1	12.7	1/2	No	CR	12026465
2413	95	50.8	12.7	1/2	No	CR	12026466
2413	95	76.2	12.7	1/2	No	CR	12026467
2540	100	19.05	12.7	1/2			23200772
2540	100	25.4	12.7	1/2			23200771
2540	100	38.1	12.7	1/2			23200773
2540	100	50.8	12.7	1/2	No	CR	12025788
2540	100	76.2	12.7	1/2			23200774
2794	110	19.05	12.7	1/2	No	CR	12025823
2794	110	25.4	12.7	1/2			23200781
2794	110	38.1	12.7	1/2	No	CR	12025824
2794	110	50.8	12.7	1/2	No	CR	12025825
2794	110	76.2	12.7	1/2	No	CR	12025826
3175	125	19.05	12.7	1/2			23200792
3175	125	25.4	12.7	1/2			23200791
3175	125	38.1	12.7	1/2	No	CR	12025868
3175	125	50.8	12.7	1/2			23200790
3175	125	76.2	12.7	1/2	No	CR	12025869
3556	140	19.05	12.7	1/2	No	CR	12025901
3556	140	25.4	12.7	1/2			23201045
3556	140	38.1	12.7	1/2	No	CR	12025902
3556	140	50.8	12.7	1/2	No	CR	12025903
3556	140	76.2	12.7	1/2	No	CR	12025904
4318	170	19.05	12.7	1/2	No	CR	12025959
4318	170	25.4	12.7	1/2	No	CR	12025960
4318	170	38.1	12.7	1/2	No	CR	12025961
4318	170	50.8	12.7	1/2	No	CR	12025962
4318	170	76.2	12.7	1/2	No	CR	12025963

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.