



INA Carriage series KWVE..-B-L

Characteristics

Series: KWVE..-B

Construction type: L

Construction width: Standard

Construction length: Long

Construction height: Standard

Material: Steel

Manufacturer ID	Size	Preload class	Accuracy class	Coating	Width mm	Height mm	Length mm	Article
KWVE20-B-L-V0-G1	20	V0	G1		63	30	88.9	12633705
KWVE20-B-L-V0-G2	20	V0	G2		63	30	88.9	12633706
KWVE20-B-L-V0-G3	20	V0	G3		63	30	88.9	12633707
KWVE20-B-L-V0-G4	20	V0	G4		63	30	88.9	11874339
KWVE20-B-L-V1-G1	20	V1	G1		63	30	88.9	12633708
KWVE20-B-L-UG-V1-G1	20	V1	G1		63	30	88.9	12633697
KWVE20-B-L-UG-V1-G2	20	V1	G2		63	30	88.9	12633698
KWVE20-B-L-V1-G2	20	V1	G2		63	30	88.9	12633709
KWVE20-B-L-UG-V1-G3	20	V1	G3		63	30	88.9	12633699
KWVE20-B-L-V1-G3	20	V1	G3		63	30	88.9	11965713
KWVE20-B-L-RROC-V1-G3	20	V1	G3	Corrotect®	63	30	88.9	12635775
KWVE20-B-L-V1-G4	20	V1	G4		63	30	88.9	24201136
KWVE20-B-L-UG-V1-G4	20	V1	G4		63	30	88.9	12633700
KWVE20-B-L-UG-V2-G1	20	V2	G1		63	30	88.9	12633701
KWVE20-B-L-V2-G1	20	V2	G1		63	30	88.9	12633710
KWVE20-B-L-V2-G2	20	V2	G2		63	30	88.9	12633711
KWVE20-B-L-UG-V2-G2	20	V2	G2		63	30	88.9	12633702
KWVE20-B-L-V2-G3	20	V2	G3		63	30	88.9	12633712
KWVE20-B-L-UG-V2-G3	20	V2	G3		63	30	88.9	12633703
KWVE20-B-L-RROC-V2-G3	20	V2	G3	Corrotect®	63	30	88.9	12635776
KWVE20-B-L-V2-G4	20	V2	G4		63	30	88.9	12633713
KWVE20-B-L-UG-V2-G4	20	V2	G4		63	30	88.9	12633704
KWVE25-B-L-V0-G1	25	V0	G1		70	36	109.1	12634051
KWVE25-B-L-UG-V0-G1	25	V0	G1		70	36	109.1	12634039
KWVE25-B-L-UG-V0-G2	25	V0	G2		70	36	109.1	12634040
KWVE25-B-L-V0-G2	25	V0	G2		70	36	109.1	12634052
KWVE25-B-L-UG-V0-G3	25	V0	G3		70	36	109.1	12634041
KWVE25-B-L-V0-G3	25	V0	G3		70	36	109.1	12634053

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Manufacturer ID	Size	Preload class	Accuracy class	Coating	Width mm	Height mm	Length mm	Article
KWVE25-B-L-UG-V0-G4	25	V0	G4		70	36	109.1	12634042
KWVE25-B-L-V0-G4	25	V0	G4		70	36	109.1	24212197
KWVE25-B-L-UG-V1-G1	25	V1	G1		70	36	109.1	12634043
KWVE25-B-L-V1-G1	25	V1	G1		70	36	109.1	12634054
KWVE25-B-L-UG-V1-G2	25	V1	G2		70	36	109.1	12634044
KWVE25-B-L-V1-G2	25	V1	G2		70	36	109.1	12634055
KWVE25-B-L-UG-V1-G3	25	V1	G3		70	36	109.1	12634045
KWVE25-B-L-V1-G3	25	V1	G3		70	36	109.1	12472495
KWVE25-B-L-RROC-V1-G3	25	V1	G3	Corrotect®	70	36	109.1	12634035
KWVE25-B-L-UG-V1-G4	25	V1	G4		70	36	109.1	12634046
KWVE25-B-L-V1-G4	25	V1	G4		70	36	109.1	12254842
KWVE25-B-L-UG-V2-G1	25	V2	G1		70	36	109.1	12634047
KWVE25-B-L-V2-G1	25	V2	G1		70	36	109.1	12634056
KWVE25-B-L-V2-G2	25	V2	G2		70	36	109.1	12634057
KWVE25-B-L-UG-V2-G2	25	V2	G2		70	36	109.1	12634048
KWVE25-B-L-V2-G3	25	V2	G3		70	36	109.1	12634058
KWVE25-B-L-UG-V2-G3	25	V2	G3		70	36	109.1	12634049
KWVE25-B-L-UG-RROC-V2-G3	25	V2	G3	Corrotect®	70	36	109.1	12634038
KWVE25-B-L-RROC-V2-G3	25	V2	G3	Corrotect®	70	36	109.1	12634036
KWVE25-B-L-UG-V2-G4	25	V2	G4		70	36	109.1	12634050
KWVE25-B-L-V2-G4	25	V2	G4		70	36	109.1	12634059
KWVE30-B-L-V0-G1	30	V0	G1		90	42	127	12634379
KWVE30-B-L-V0-G2	30	V0	G2		90	42	127	12634380
KWVE30-B-L-V0-G3	30	V0	G3		90	42	127	12634381
KWVE30-B-L-V0-G4	30	V0	G4		90	42	127	12634382
KWVE30-B-L-UG-V1-G1	30	V1	G1		90	42	127	12634371
KWVE30-B-L-V1-G1	30	V1	G1		90	42	127	12634383
KWVE30-B-L-V1-G2	30	V1	G2		90	42	127	12634384
KWVE30-B-L-UG-V1-G2	30	V1	G2		90	42	127	12634372
KWVE30-B-L-V1-G3	30	V1	G3		90	42	127	12634385
KWVE30-B-L-UG-V1-G3	30	V1	G3		90	42	127	12634373
KWVE30-B-L-RROC-V1-G3	30	V1	G3	Corrotect®	90	42	127	12634369
KWVE30-B-L-V1-G4	30	V1	G4		90	42	127	12634386
KWVE30-B-L-UG-V1-G4	30	V1	G4		90	42	127	12634374
KWVE30-B-L-V2-G1	30	V2	G1		90	42	127	12634387

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Manufacturer ID	Size	Preload class	Accuracy class	Coating	Width mm	Height mm	Length mm	Article
KWVE30-B-L-UG-V2-G1	30	V2	G1		90	42	127	12634375
KWVE30-B-L-V2-G2	30	V2	G2		90	42	127	12634388
KWVE30-B-L-UG-V2-G2	30	V2	G2		90	42	127	12634376
KWVE30-B-L-UG-V2-G3	30	V2	G3		90	42	127	12634377
KWVE30-B-L-V2-G3	30	V2	G3		90	42	127	12634389
KWVE30-B-L-RROC-V2-G3	30	V2	G3	Corrotect®	90	42	127	12634370
KWVE30-B-L-UG-V2-G4	30	V2	G4		90	42	127	12634378
KWVE30-B-L-V2-G4	30	V2	G4		90	42	127	12634390
KWVE35-B-L-V0-G1	35	V0	G1		100	48	145	12634638
KWVE35-B-L-UG-V0-G1	35	V0	G1		100	48	145	12634626
KWVE35-B-L-V0-G2	35	V0	G2		100	48	145	12634639
KWVE35-B-L-UG-V0-G2	35	V0	G2		100	48	145	12634627
KWVE35-B-L-V0-G3	35	V0	G3		100	48	145	12634640
KWVE35-B-L-UG-V0-G3	35	V0	G3		100	48	145	12634628
KWVE35-B-L-UG-V0-G4	35	V0	G4		100	48	145	12634629
KWVE35-B-L-V0-G4	35	V0	G4		100	48	145	12634641
KWVE35-B-L-UG-V1-G1	35	V1	G1		100	48	145	12634630
KWVE35-B-L-V1-G1	35	V1	G1		100	48	145	12634642
KWVE35-B-L-UG-V1-G2	35	V1	G2		100	48	145	12634631
KWVE35-B-L-V1-G2	35	V1	G2		100	48	145	12634643
KWVE35-B-L-V1-G3	35	V1	G3		100	48	145	12634644
KWVE35-B-L-UG-V1-G3	35	V1	G3		100	48	145	12634632
KWVE35-B-L-RROC-V1-G3	35	V1	G3	Corrotect®	100	48	145	12634624
KWVE35-B-L-UG-V1-G4	35	V1	G4		100	48	145	12634633
KWVE35-B-L-V1-G4	35	V1	G4		100	48	145	12634645
KWVE35-B-L-UG-V2-G1	35	V2	G1		100	48	145	12634634
KWVE35-B-L-V2-G1	35	V2	G1		100	48	145	12634646
KWVE35-B-L-V2-G2	35	V2	G2		100	48	145	12634647
KWVE35-B-L-UG-V2-G2	35	V2	G2		100	48	145	12634635
KWVE35-B-L-V2-G3	35	V2	G3		100	48	145	12634648
KWVE35-B-L-UG-V2-G3	35	V2	G3		100	48	145	12634636
KWVE35-B-L-RROC-V2-G3	35	V2	G3	Corrotect®	100	48	145	12634625
KWVE35-B-L-V2-G4	35	V2	G4		100	48	145	12634649
KWVE35-B-L-UG-V2-G4	35	V2	G4		100	48	145	12634637
KWVE45-B-L-V0-G1	45	V0	G1		120	60	172.7	12634889

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Manufacturer ID	Size	Preload class	Accuracy class	Coating	Width mm	Height mm	Length mm	Article
KWVE45-B-L-V0-G2	45	V0	G2		120	60	172.7	12634890
KWVE45-B-L-V0-G3	45	V0	G3		120	60	172.7	12634891
KWVE45-B-L-V0-G4	45	V0	G4		120	60	172.7	12427420
KWVE45-B-L-UG-V1-G1	45	V1	G1		120	60	172.7	12634881
KWVE45-B-L-V1-G1	45	V1	G1		120	60	172.7	12634892
KWVE45-B-L-V1-G2	45	V1	G2		120	60	172.7	12634893
KWVE45-B-L-UG-V1-G2	45	V1	G2		120	60	172.7	12634882
KWVE45-B-L-UG-V1-G3	45	V1	G3		120	60	172.7	12634883
KWVE45-B-L-V1-G3	45	V1	G3		120	60	172.7	12634894
KWVE45-B-L-RROC-V1-G3	45	V1	G3	Corrotect®	120	60	172.7	12634879
KWVE45-B-L-UG-V1-G4	45	V1	G4		120	60	172.7	12634884
KWVE45-B-L-V1-G4	45	V1	G4		120	60	172.7	12634895
KWVE45-B-L-V2-G1	45	V2	G1		120	60	172.7	12634896
KWVE45-B-L-UG-V2-G1	45	V2	G1		120	60	172.7	12634885
KWVE45-B-L-V2-G2	45	V2	G2		120	60	172.7	12634897
KWVE45-B-L-UG-V2-G2	45	V2	G2		120	60	172.7	12634886
KWVE45-B-L-UG-V2-G3	45	V2	G3		120	60	172.7	12634887
KWVE45-B-L-V2-G3	45	V2	G3		120	60	172.7	12634898
KWVE45-B-L-RROC-V2-G3	45	V2	G3	Corrotect®	120	60	172.7	12634880
KWVE45-B-L-V2-G4	45	V2	G4		120	60	172.7	12634899
KWVE45-B-L-UG-V2-G4	45	V2	G4		120	60	172.7	12634888
KWVE55-B-L-V0-G1	55	V0	G1		140	70	211.6	12635057
KWVE55-B-L-V0-G2	55	V0	G2		140	70	211.6	12635058
KWVE55-B-L-V0-G3	55	V0	G3		140	70	211.6	12635059
KWVE55-B-L-V0-G4	55	V0	G4		140	70	211.6	12635060
KWVE55-B-L-UG-V1-G1	55	V1	G1		140	70	211.6	12635049
KWVE55-B-L-V1-G1	55	V1	G1		140	70	211.6	12635061
KWVE55-B-L-V1-G2	55	V1	G2		140	70	211.6	12635062
KWVE55-B-L-UG-V1-G2	55	V1	G2		140	70	211.6	12635050
KWVE55-B-L-UG-V1-G3	55	V1	G3		140	70	211.6	12635051
KWVE55-B-L-V1-G3	55	V1	G3		140	70	211.6	12635063
KWVE55-B-L-RROC-V1-G3	55	V1	G3	Corrotect®	140	70	211.6	12635047
KWVE55-B-L-V1-G4	55	V1	G4		140	70	211.6	12635064
KWVE55-B-L-UG-V1-G4	55	V1	G4		140	70	211.6	12635052
KWVE55-B-L-V2-G1	55	V2	G1		140	70	211.6	12635065

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Manufacturer ID	Size	Preload class	Accuracy class	Coating	Width mm	Height mm	Length mm	Article
KWVE55-B-L-UG-V2-G1	55	V2	G1		140	70	211.6	12635053
KWVE55-B-L-UG-V2-G2	55	V2	G2		140	70	211.6	12635054
KWVE55-B-L-V2-G2	55	V2	G2		140	70	211.6	12635066
KWVE55-B-L-V2-G3	55	V2	G3		140	70	211.6	12635067
KWVE55-B-L-UG-V2-G3	55	V2	G3		140	70	211.6	12635055
KWVE55-B-L-RROC-V2-G3	55	V2	G3	Corrotect®	140	70	211.6	12635048
KWVE55-B-L-UG-V2-G4	55	V2	G4		140	70	211.6	12635056
KWVE55-B-L-V2-G4	55	V2	G4		140	70	211.6	12635068

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.