

SKF High precision angular contact bearing Series: 70..ACD

Characteristics

Series: 70..ACD

Application

- Recommended in: Chemical



Manufacturer ID	Inner diameter mm	Outer diameter mm	Width mm	Contact angle °	With sealing	Article
Max. 200 articles in the table						
708 ACDGB/P4A	8	22	7	25	No	12174224
708 ACD/P4A	8	22	7	25	No	23759443
708 ACD/P4ADBB	8	22	7	25	No	23759444
709 ACDGB/P4A	9	24	7	25	No	12174227
709 ACD/P4A	9	24	7	25	No	23759447
709 ACD/P4ADGB	9	24	14	25	No	12174226
709 ACD/P4ADBA	9	24	14	25	No	13198898
709 ACD/P4ADBB	9	24	14	25	No	13198899
7000 ACD/P4A	10	26	8	25	No	13198683
7000 ACDGC/P4A	10	26	8	25	No	13529829
7000 ACDGB/P4A	10	26	8	25	No	12174070
7000 ACDGA/P4A	10	26	8	25	No	12121250
7000 ACD/P4ADGA	10	26	16	25	No	12174069
7001 ACD/P4A	12	28	8	25	No	23759275
7001 ACDGB/P4A	12	28	8	25	No	24002671
7001 ACDGA/P4A	12	28	8	25	No	24002670
7001 ACD/P4ADGB	12	28	16	25	No	12174072
7001 ACD/P4ADGA	12	28	16	25	No	24002669
7002 ACD/P4A	15	32	9	25	No	24002676
7002 ACDGA/P4A	15	32	9	25	No	24002677
7002 ACDGB/P4A	15	32	9	25	No	23759278
7002 ACD/P4ADGB	15	32	18	25	No	13198689
7002 ACD/P4ADGA	15	32	18	25	No	12174075
7003 ACDGB/P4A	17	35	10	25	No	24002684
7003 ACD/P4A	17	35	10	25	No	23759281
7003 ACDGA/P4A	17	35	10	25	No	23759282
7003 ACD/P4ADGA	17	35	20	25	No	12174077
7003 ACD/P4ADGB	17	35	20	25	No	12174078
7003 ACD/P4ATBTA	17	35	30	25	No	13198695
7004 ACDGB/P4A	20	42	12	25	No	24002685
7004 ACD/P4A	20	42	12	25	No	23759287
7004 ACDGA/P4A	20	42	12	25	No	23759290
7004 ACD/P4ADGB	20	42	24	25	No	12174083
7004 ACD/P4ADGA	20	42	24	25	No	12174082
7005 ACDGB/P4A	25	47	12	25	No	24002688
7005 ACDGA/P4A	25	47	12	25	No	23759298
7005 ACD/P4A	25	47	12	25	No	23759296
7005 ACD/P4ADGA	25	47	24	25	No	12174085
7005 ACD/P4ADGB	25	47	24	25	No	12174086
7006 ACDGB/P4A	30	55	13	25	No	23759306
7006 ACDGA/P4A	30	55	13	25	No	23759305
7006 ACD/P4A	30	55	13	25	No	23759303
7006 ACD/P4ADBC	30	55	26	25	No	12701343

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Manufacturer ID	Inner diameter	Outer diameter	Width	Contact angle	With sealing	Article
	mm	mm	mm	°		Max. 200 articles in the table
7006 ACD/P4ADGB	30	55	26	25	No	12174089
7006 ACD/P4ADBA	30	55	26	25	No	23223109
7006 ACD/P4ADGA	30	55	26	25	No	12174088
7006 ACD/P4AQBCA	30	55	52	25	No	13198721
7007 ACD/P4A	35	62	14	25	No	23759310
7007 ACDGA/P4A	35	62	14	25	No	23759312
7007 ACDGB/P4A	35	62	14	25	No	24002695
7007 ACD/P4ADGB	35	62	28	25	No	12174093
7007 ACD/P4ADBB	35	62	28	25	No	11614536
7007 ACD/P4ADGA	35	62	28	25	No	12174092
7007 ACD/P4ATBTA	35	62	42	25	No	13198729
7008 ACDGA/P4A	40	68	15	25	No	23759319
7008 ACD/P4A	40	68	15	25	No	23759318
7008 ACD/P4ADGB	40	68	30	25	No	12174095
7008 ACD/P4ADGA	40	68	30	25	No	24002698
7008 ACD/P4ATBTB	40	68	45	25	No	11614544
7008 ACD/P4ATBTA	40	68	45	25	No	13198738
7009 ACDGA/P4A	45	75	16	25	No	23759329
7009 ACD/P4A	45	75	16	25	No	23759327
7009 ACDGB/P4A	45	75	16	25	No	23759330
7009 ACD/P4ADGB	45	75	32	25	No	12174098
7009 ACD/P4ATBTA	45	75	48	25	No	13198748
7010 ACDGB/P4A	50	80	16	25	No	23759342
7010 ACDGA/P4A	50	80	16	25	No	23759341
7010 ACD/P4A	50	80	16	25	No	23759336
7010 ACD/P4ADGA	50	80	32	25	No	12174101
7010 ACD/P4ADBB	50	80	32	25	No	23223661
7010 ACD/P4ADGB	50	80	32	25	No	12174102
7010 ACD/P4ADBA	50	80	32	25	No	11614557
7010 ACD/P4ATBTA	50	80	48	25	No	13198758
7010 ACD/P4ATBTB	50	80	48	25	No	11614558
7011 ACDGA/P4A	55	90	18	25	No	23759352
7011 ACDGB/P4A	55	90	18	25	No	23759353
7011 ACD/P4A	55	90	18	25	No	23759350
7011 ACD/P4ADGA	55	90	36	25	No	12174104
7011 ACD/P4ADGB	55	90	36	25	No	12174105
7044 ACD/P4ADBA	55	90	36	25	No	11614629
7011 ACD/P4ATBTG94	55	90	54	25	No	12121252
7011 ACD/P4ATBTB	55	90	54	25	No	11614563
7011 ACD/P4ATBTA	55	90	54	25	No	13198769
7012 ACDGA/P4A	60	95	18	25	No	23759362
7012 ACD/P4A	60	95	18	25	No	23759359
7012 ACD/P4ADBB	60	95	36	25	No	11614566
7012 ACD/P4ADGB	60	95	36	25	No	12174109
7012 ACD/P4ADGA	60	95	36	25	No	12174108
7012 ACD/P4ATBTA	60	95	54	25	No	13198779
7012 ACD/P4AQBCA	60	95	72	25	No	13198778
7013 ACD/P4A	65	100	18	25	No	23759366
7013 ACDGA/P4A	65	100	18	25	No	23759368
7013 ACD/P4ADGA	65	100	36	25	No	12174111
7013 ACD/P4ADGB	65	100	36	25	No	12174112
7013 ACD/P4ADBB	65	100	36	25	No	11614570
7013 ACD/P4ATBTB	65	100	54	25	No	11614571

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Manufacturer ID	Inner diameter	Outer diameter	Width	Contact angle	With sealing	Article
	mm	mm	mm	°		Max. 200 articles in the table
7013 ACD/P4ATBTA	65	100	54	25	No	13198787
7013 ACD/P4AQBCA	65	100	72	25	No	13198786
7014 ACDGA/P4A	70	110	20	25	No	23759375
7014 ACD/P4A	70	110	20	25	No	23759373
7014 ACD/P4ADGA	70	110	40	25	No	12174114
7014 ACD/P4ADGB	70	110	40	25	No	12174115
7014 ACD/P4ATBTA	70	110	60	25	No	13198799
7014 ACD/P4AQBCA	70	110	80	25	No	13198798
7015 ACDGA/P4A	75	115	20	25	No	23759382
7015 ACD/P4ADGA	75	115	40	25	No	12174118
7015 ACD/P4ADGB	75	115	40	25	No	12174119
7015 ACD/P4ATBTA	75	115	60	25	No	13198811
7016 ACDGB/P4A	80	125	22	25	No	23759390
7016 ACDGA/P4A	80	125	22	25	No	23759389
7016 ACD/P4A	80	125	22	25	No	23759386
7016 ACD/P4ADGB	80	125	44	25	No	12174123
7016 ACD/P4ADGA	80	125	44	25	No	12174122
7016 ACD/P4ATBTA	80	125	66	25	No	23759387
7016 ACD/P4ATBTB	80	125	66	25	No	23759388
7017 ACDGA/P4A	85	130	22	25	No	23759398
7017 ACD/P4A	85	130	22	25	No	12174126
7017 ACD/P4ADGA	85	130	44	25	No	12174127
7017 ACD/P4ADGB	85	130	44	25	No	12174128
7017 ACD/P4ATBTA	85	130	66	25	No	13198830
7018 ACD/P4A	90	140	24	25	No	23759403
7018 ACDGA/P4A	90	140	24	25	No	23759404
7018 ACD/P4ADGA	90	140	48	25	No	12174131
7018 ACD/P4ADGB	90	140	48	25	No	12174132
7018 ACD/P4ATBTA	90	140	48	25	No	23772488
7018 ACD/P4ATBTB	90	140	72	25	No	11614595
7018 ACD/P4AQBCA	90	140	96	25	No	13198846
7019 ACDGA/P4A	95	145	24	25	No	23759407
7019 ACDGB/P4A	95	145	24	25	No	12174138
7019 ACD/P4ADGB	95	145	48	25	No	12174137
7019 ACD/P4ADGA	95	145	48	25	No	12174136
7020 ACDGC/P4A	100	150	24	25	No	11614603
7020 ACD/P4A	100	150	24	25	No	23759409
7020 ACDGA/P4A	100	150	24	25	No	23759413
7020 ACD/P4ADGA	100	150	48	25	No	12174141
7020 ACD/P4ADBA	100	150	48	25	No	23759410
7020 ACD/P4ADGB	100	150	48	25	No	12174142
7020 ACD/P4ATBTA	100	150	72	25	No	23759411
7020 ACD/P4ATBTB	100	150	72	25	No	11614602
7020 ACD/P4AQBCA	100	150	96	25	No	13198859
7021 ACDGB/P4A	105	160	26	25	No	12174147
7021 ACD/P4A	105	160	26	25	No	12174145
7021 ACD/P4ADGA	105	160	52	25	No	12174146
7021 ACD/P4ADGB	105	160	52	25	No	13198869
7022 ACDGA/P4A	110	170	28	25	No	23759418
7022 ACDGB/P4A	110	170	28	25	No	12174152
7022 ACD/P4ADGB	110	170	56	25	No	12174151
7022 ACD/P4ADGA	110	170	56	25	No	12174150
7022 ACD/P4ATBTA	110	170	84	25	No	13198874

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Manufacturer ID	Inner diameter	Outer diameter	Width	Contact angle	With sealing	Article
	mm	mm	mm	°		Max. 200 articles in the table
7022 ACD/P4AQBCA	110	170	112	25	No	13198873
7024 ACDGA/P4A	120	180	28	25	No	23759423
7024 ACDGB/P4A	120	180	28	25	No	23759424
7024 ACD/P4A	120	180	28	25	No	23759421
7024 ACD/P4ADGB	120	180	56	25	No	12174158
7024 ACD/P4ADGA	120	180	56	25	No	12174157
7024 ACD/P4ATBTA	120	180	84	25	No	13198878
7024 ACD/P4AQBCA	120	180	112	25	No	13198877
7026 ACDGB/P4A	130	200	33	25	No	12174165
7026 ACDGA/P4A	130	200	33	25	No	23759432
7026 ACD/P4A	130	200	33	25	No	23759429
7026 ACD/P4ADGB	130	200	66	25	No	12174164
7026 ACD/P4ADGA	130	200	66	25	No	12174163
7026 ACD/P4ADBA	130	200	66	25	No	11614616
7026 ACD/P4ATBTA	130	200	99	25	No	13198882
7026 ACD/P4AQBCA	130	200	132	25	No	13198881
7028 ACD/P4A	140	210	33	25	No	23759434
7028 ACDGB/P4A	140	210	33	25	No	12174172
7028 ACD/P4ADGA	140	210	66	25	No	12174170
7028 ACD/P4ADGB	140	210	66	25	No	12174171
7028 ACD/P4ATBTA	140	210	99	25	No	13198886
7028 ACD/P4ATBTB	140	210	99	25	No	11614621
7030 ACD/P4A	150	225	35	25	No	12174178
7030 ACDGB/P4A	150	225	35	25	No	12174182
7030 ACDGA/P4A	150	225	35	25	No	12174181
7030 ACD/P4ADGA	150	225	70	25	No	12174179
7030 ACD/P4ADGB	150	225	70	25	No	12174180
7030 ACD/P4ATBTA	150	225	105	25	No	13198888
7032 ACDGB/P4A	160	240	38	25	No	12174191
7032 ACDGA/P4A	160	240	38	25	No	12174190
7032 ACD/P4A	160	240	38	25	No	23759437
7032 ACD/P4ADGB	160	240	76	25	No	12174189
7032 ACD/P4ADGA	160	240	76	25	No	12174188
7032 ACD/P4ATBTA	160	240	114	25	No	13198890
7034 ACD/P4A	170	260	42	25	No	12174196
7034 ACDGA/P4A	170	260	42	25	No	23759438
7034 ACDGB/P4A	170	260	42	25	No	12174198
7036 ACDGB/P4A	180	280	46	25	No	12174204
7036 ACDGA/P4A	180	280	46	25	No	12174203
7036 ACD/P4A	180	280	46	25	No	12174202
7036 ACD/P4ADGA	180	280	92	25	No	23759439
7038 ACDGA/P4A	190	290	46	25	No	12174208
7038 ACD/P4A	190	290	46	25	No	12174207
7040 ACDGB/P4A	200	310	51	25	No	12174213
7040 ACD/P4A	200	310	51	25	No	12174211
7040 ACDGA/P4A	200	310	51	25	No	23759440
7044 ACDGA/P4A	220	340	56	25	No	12174217
7044 ACD/P4A	220	340	56	25	No	12174216
7048 ACD/P4A	240	360	56	25	No	12174220
7048 ACDGA/P4A	240	360	56	25	No	12174221

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.