

SKF High precision angular contact bearing Series: 70..CD

Characteristics

Series: 70..CD

Application

- Recommended in: Chemical



Manufacturer ID	Inner diameter mm	Outer diameter mm	Width mm	Contact angle °	With sealing	Article
Max. 200 articles in the table						
707 CD/P4ADBA	7	19	6	15	No	13529848
708 CD/P4A	8	22	7	15	No	23759445
708 CDGA/P4A	8	22	7	15	No	23759446
708 CD/P4ADGA	8	22	14	15	No	12174225
708 CD/P4ADBB	8	22	14	15	No	13198896
708 CD/P4ADBA	8	22	14	15	No	13198895
709 CDGA/P4A	9	24	7	15	No	23759448
709 CD/P4ADGB	9	24	14	15	No	12174229
709 CD/P4ADBA	9	24	14	15	No	13198900
709 CD/P4ADBB	9	24	14	15	No	13198901
709 CD/P4ADGA	9	24	14	15	No	12174228
7000 CDGA/P4A	10	26	8	15	No	12121614
7000 CD/P4A	10	26	8	15	No	12121251
7000 CDGB/P4A	10	26	8	15	No	13198685
7000 CD/P4ADGA	10	26	16	15	No	13198684
7000 CD/P4ADGB	10	26	16	15	No	12174071
7001 CDGB/P4A	12	28	8	15	No	12174074
7001 CD/P4A	12	28	8	15	No	24002672
7001 CD/P4ADGB	12	28	16	15	No	12174073
7001 CD/P4ADBB	12	28	16	15	No	11614508
7002 CDGA/P4A	15	32	9	15	No	23759280
7002 CD/P4A	15	32	9	15	No	23759279
7002 CDGA/P4AW64	15	32	9	15	No	13198690
7002 CD/P4ADGB	15	32	18	15	No	12174076
7002 CD/P4ADBA	15	32	18	15	No	11614511
7002 CD/P4ADBB	15	32	18	15	No	11614512
7003 CDGA/P4A	17	35	10	15	No	23759286
7003 CD/P4A	17	35	10	15	No	23759283
7003 CDGB/P4A	17	35	10	15	No	12174081
7003 CD/HCP4A	17	35	10	15	No	12657965
7003 CD/P4ADGA	17	35	20	15	No	12174079
7003 CD/P4ADBA	17	35	20	15	No	23223675
7003 CD/P4ADGB	17	35	20	15	No	12174080
7004 CDGA/P4A	20	42	12	15	No	23759295
7004 CD/P4A	20	42	12	15	No	23759291
7004 CD/P4ADBC	20	42	24	15	No	13424639
7004 CD/P4ADBA	20	42	24	15	No	11614522
7004 CD/P4ADGB	20	42	24	15	No	12174084
7005 CD/P4A	25	47	12	15	No	23759299
7005 CDGB/P4A	25	47	12	15	No	23759302
7005 CDGA/P4A	25	47	12	15	No	23759301
7005 CD/P4ADT	25	47	24	15	No	11614528
7005 CD/P4ADGB	25	47	24	15	No	12174087

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Manufacturer ID	Inner diameter	Outer diameter	Width	Contact angle	With sealing	Article
	mm	mm	mm	°		Max. 200 articles in the table
7005 CD/P4ADBA	25	47	24	15	No	23223662
7006 CDGA/P4A	30	55	13	15	No	23759309
7006 CD/P4A	30	55	13	15	No	23759307
7006 CD/P4ADBA	30	55	26	15	No	11614531
7006 CD/P4ADGA	30	55	26	15	No	12174090
7006 CD/P4ADGB	30	55	26	15	No	12174091
7006 CD/P4ADBB	30	55	26	15	No	11614532
7007 CD/P4A	35	62	14	15	No	23759313
7007 CDGA/P4A	35	62	14	15	No	23759316
7007 CD/P4ADBB	35	62	28	15	No	11614539
7007 CD/P4ADGB	35	62	28	15	No	12174094
7007 CD/P4ADBA	35	62	28	15	No	11614538
7007 CD/P4ATBTA	35	62	42	15	No	13198733
7008 CDGA/P4A	40	68	15	15	No	23759324
7008 CD/P4A	40	68	15	15	No	23759320
7008 CDGB/P4A	40	68	15	15	No	23759325
7008 CD/P4ADBB	40	68	30	15	No	11614548
7008 CD/P4ADBA	40	68	30	15	No	11614547
7008 CD/P4ADGB	40	68	30	15	No	12174097
7008 CD/P4ADGA	40	68	30	15	No	12174096
7008 CD/P4ATBTA	40	68	45	15	No	13198743
7008 CD/P4AQBCA	40	68	60	15	No	13198742
7009 CDGB/P4A	45	75	16	15	No	23759335
7009 CD/P4A	45	75	16	15	No	23759331
7009 CDGA/P4A	45	75	16	15	No	23759334
7009 CD/P4ADBA	45	75	32	15	No	11614552
7009 CD/P4ADGB	45	75	32	15	No	12174100
7009 CD/P4ADBB	45	75	32	15	No	11614553
7009 CD/P4ADGA	45	75	32	15	No	12174099
7009 CD/P4ATBTA	45	75	48	15	No	13198753
7009 CD/P4AQBCA	45	75	64	15	No	13198752
7010 CD/P4A	50	80	16	15	No	23759343
7010 CDGA/P4A	50	80	16	15	No	23759346
7010 CDGB/P4A	50	80	16	15	No	23759347
7010 CD/P4ADBA	50	80	32	15	No	11614560
7010 CD/P4ADGB	50	80	32	15	No	12174103
7010 CD/P4ADBB	50	80	32	15	No	23759345
7010 CD/P4AQBCA	50	80	64	15	No	13198762
7011 CD/P4A	55	90	18	15	No	23759354
7011 CDGA/P4A	55	90	18	15	No	23759357
7011 CDGB/P4A	55	90	18	15	No	23759358
7011 CD/P4ADGB	55	90	36	15	No	12174107
7011 CD/P4ADGA	55	90	36	15	No	12174106
7011 CD/P4ADBA	55	90	36	15	No	23223568
7011 CD/P4ADBB	55	90	36	15	No	11614564
7011 CD/P4ATBTA	55	90	54	15	No	13198773
7011 CD/P4AQBCA	55	90	72	15	No	13198772
7012 CDGA/P4A	60	95	18	15	No	23759365
7012 CD/P4A	60	95	18	15	No	23759363
7012 CD/P4ADBA	60	95	36	15	No	11614568
7012 CD/P4ADGA	60	95	36	15	No	23759364
7012 CD/P4ADGB	60	95	36	15	No	12174110
7012 CD/P4ATBTA	60	95	54	15	No	13198782

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Manufacturer ID	Inner diameter	Outer diameter	Width	Contact angle	With sealing	Article
	mm	mm	mm	°		Max. 200 articles in the table
7012 CD/P4AQBCA	60	95	72	15	No	13198781
7013 CD/P4A	65	100	18	15	No	23759369
7013 CDGB/P4A	65	100	18	15	No	23759372
7013 CDGA/P4A	65	100	18	15	No	23759371
7013 CD/P4ADGB	65	100	36	15	No	12174113
7013 CD/P4ADBA	65	100	36	15	No	23223129
7013 CD/P4ADBB	65	100	36	15	No	23223130
7013 CD/P4ADBC	65	100	36	15	No	13198790
7014 CD/P4A	70	110	20	15	No	23759377
7014 CDGB/P4A	70	110	20	15	No	23759379
7014 CDGA/P4A	70	110	20	15	No	23759378
7014 CD/P4ADGB	70	110	40	15	No	12174117
7014 CD/P4ADGA	70	110	40	15	No	12174116
7014 CD/P4ATBTA	70	110	60	15	No	13198806
7014 CD/P4AQBCA	70	110	80	15	No	13198805
7015 CD/P4A	75	115	20	15	No	23759383
7015 CDGA/P4A	75	115	20	15	No	23759385
7015 CD/P4ADBA	75	115	40	15	No	23759384
7015 CD/P4ADGA	75	115	40	15	No	12174120
7015 CD/P4ADGB	75	115	40	15	No	12174121
7015 CD/P4ATBTA	75	115	60	15	No	13198816
7016 CDGA/P4A	80	125	22	15	No	23759394
7016 CD/P4A	80	125	22	15	No	23759392
7016 CD/P4ADBA	80	125	44	15	No	11614588
7016 CD/P4ADGA	80	125	44	15	No	12174124
7016 CD/P4ADGB	80	125	44	15	No	12174125
7016 CD/HCP4ADBA	80	125	44	25	No	23759391
7016 CD/P4ATBTA	80	125	66	15	No	13198825
7016 CD/P4AQBCA	80	125	88	15	No	13198824
7017 CDGA/P4A	85	130	22	15	No	23759401
7017 CD/P4A	85	130	22	15	No	23759399
7017 CDGB/P4A	85	130	22	15	No	23759402
7017 CD/P4ADGA	85	130	44	15	No	12174129
7017 CD/P4ADGB	85	130	44	15	No	12174130
7017 CD/P4ADBA	85	130	44	15	No	23222973
7018 CDGA/P4A	90	140	24	15	No	23759406
7018 CD/P4A	90	140	24	15	No	23759405
7018 CD/P4ADGA	90	140	48	15	No	12174133
7018 CD/P4ADGB	90	140	48	15	No	12174134
7018 CD/P4ADBA	90	140	48	15	No	23223577
7018 CD/P4ATBTA	90	140	72	15	No	13198850
7018 CD/P4AQBCA	90	140	96	15	No	13198849
7019 CDGB/P4A	95	145	24	15	No	13198857
7019 CD/P4ADGB	95	145	48	15	No	12174140
7019 CD/P4ADGA	95	145	48	15	No	12174139
7019 CD/P4ATBTA	95	145	72	15	No	13198856
7019 CD/P4AQBCA	95	145	96	15	No	13198855
7020 CD/P4A	100	150	24	15	No	23759414
7020 CDGA/P4A	100	150	24	15	No	23759417
7020 CD/P4ADGB	100	150	48	15	No	12174144
7020 CD/P4ADGA	100	150	48	15	No	12174143
7020 CD/P4ADBA	100	150	48	15	No	23759415
7020 CD/P4ATBTA	100	150	72	15	No	13198864

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Manufacturer ID	Inner diameter	Outer diameter	Width	Contact angle	With sealing	Article
	mm	mm	mm	°		Max. 200 articles in the table
7020 CD/P4AQBCA	100	150	96	15	No	13198863
7021 CDGB/P4A	105	160	26	15	No	13198872
7021 CD/P4ADGB	105	160	52	15	No	12174149
7021 CD/P4ADGA	105	160	52	15	No	12174148
7022 CDGA/P4A	110	170	28	15	No	23759420
7022 CD/P4A	110	170	28	15	No	23759419
7022 CD/P4ADGB	110	170	56	15	No	12174155
7022 CD/P4ADGA	110	170	56	15	No	12174154
7022 CD/P4ATBTA	110	170	84	15	No	13198876
7022 CD/P4AQBCA	110	170	112	15	No	13198875
7024 CDGA/P4A	120	180	28	15	No	23759428
7024 CD/P4A	120	180	28	15	No	23759426
7024 CD/P4ADBB	120	180	56	15	No	23223597
7024 CD/P4ADGB	120	180	56	15	No	12174161
7024 CD/P4ADGA	120	180	56	15	No	12174160
7024 CD/P4ATBTA	120	180	84	15	No	13198879
7026 CDGB/P4A	130	200	33	15	No	12174168
7026 CD/P4A	130	200	33	15	No	23759433
7026 CD/P4ADGA	130	200	66	15	No	12174166
7026 CD/P4ADGB	130	200	66	15	No	12174167
7026 CD/P4ADBA	130	200	66	15	No	11614619
7026 CD/P4ATBTA	130	200	99	15	No	13198884
7026 CD/P4AQBCA	130	200	132	15	No	13198883
7028 CDGA/P4A	140	210	33	15	No	12174176
7028 CD/P4A	140	210	33	15	No	23759436
7028 CDGB/P4A	140	210	33	15	No	12174177
7028 CD/P4ADGA	140	210	66	15	No	12174174
7028 CD/P4ADGB	140	210	66	15	No	12174175
7028 CD/P4ATBTA	140	210	99	15	No	13198887
7030 CDGA/P4A	150	225	35	15	No	12174185
7030 CDGB/P4A	150	225	35	15	No	12174186
7030 CD/P4ADGA	150	225	70	15	No	12174183
7030 CD/P4ADGB	150	225	70	15	No	12174184
7030 CD/P4ATBTA	150	225	105	15	No	13198889
7032 CDGA/P4A	160	240	38	15	No	12174195
7032 CD/P4A	160	240	38	15	No	23772491
7032 CD/P4ADGB	160	240	76	15	No	12174194
7032 CD/P4ADGA	160	240	76	15	No	12174193
7034 CDGA/P4A	170	260	42	15	No	12174201
7034 CD/P4A	170	260	42	15	No	12174199
7034 CD/P4ADGA	170	260	84	15	No	12174200
7036 CDGA/P4A	180	280	46	15	No	12174206
7036 CD/P4A	180	280	46	15	No	12174205
7038 CDGA/P4A	190	290	46	15	No	12174210
7038 CD/P4A	190	290	46	15	No	12174209
7040 CDGA/P4A	200	310	51	15	No	12174215
7040 CD/P4A	200	310	51	15	No	12174214
7044 CD/P4A	220	340	56	15	No	12174218
7044 CDGA/P4A	220	340	56	15	No	12174219
7048 CD/P4A	240	360	56	15	No	12174222

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.