



EWELLIX Linear ball bushing Closed With sealing Series: LBBR..-LS

Linear ball bearings are available in compact LBB range (ISO series 1) and standard LBC range (ISO series 3). The bearings consist of a polymer cage with steel raceway segments to guide and recirculate the ball sets within the complete cage. The range is available with or without seals, in standard and open types as well as in corrosion resistant versions.

Type LBBR

Compact linear ball bearing (ISO series 1) available diameter from 3 to 50 mm, easy to mount with press fit in Motion Technologies units and optimized cost performance relation The LBBR raceway segments have been designed to fully utilize the entire length of the load zone to increase bearing capacity and extend bearing service life. The plastic cage has been redesigned to provide optimum performance. All ball recirculations are designed to offer no resistance to the cage on the running-in and runout of the recirculation. The redesigned cage also accommodates larger balls to provide increased load capacity and service life. These bearings with or without seals are available in a standard version as well as a corrosion resistant version. The sealed variant is fitted with integral double lip seals. These seals have an inner lip to keep lubricant in the bearing; the outer lip acts like a wiper seal to keep contaminants out of the bearing. LBBR linear ball bearings are also available with stainless steel balls and raceways for wet or corrosive environments. The stainless steel variant is identified by a HV6 suffix in the designation.

Characteristics

Series: LBBR..-LS

Model: Closed

With sealing: Yes

Manufacturer ID	Shaft diameter mm	Outer diameter mm	Length mm	Article
LBBR 5-LS-C004	5	10	15	24024265
LBBR 6 A-LS	6	12	22	24024269
LBBR 8-LS	8	15	24	24024273
LBBR 10-LS	10	17	26	24024225
LBBR 12-LS	12	19	28	24024227
LBBR 16-LS	16	24	30	24024233
LBBR 20-LS	20	28	30	24024236
LBBR 25-LS	25	35	40	24024238
LBBR 30-LS	30	40	50	24024243
LBBR 40-LS	40	52	60	24024251
LBBR 50-LS	50	62	70	24024261

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.