



FAG Cylindrical roller bearing caged Single row Series: NU

Single-row cylindrical roller bearings with a cage comprising cylindrical rollers caged between a solid outer and inner ring. These bearings have a high level of rigidity, can support heavy radial loads and are suitable for high speeds. The inner and outer rings can be fitted separately, making installation and removal a simple process. Single-row cylindrical roller bearings are available in various designs. The most common models are NU, N, NJ and NUP. The main difference is the configuration of the ribs.

NU model:

The outer ring of an NU cylindrical bearing has two fixed ribs, whereas the inner ring of the cylindrical bearing has no ribs. The axial displacement of the shaft relative to the casing can be accommodated in both directions.

Characteristics

Series: NU

Manufacturer ID	Cage material	Inner diameter	Outer diameter	Width	Internal clearance	With sealing	Article
		mm	mm	mm			
NU202-E-XL-M1A	Brass	15	35	11	CN [normal]	No	11667886
NU205-E-XL-M1-C3	Brass	25	52	15	C3	No	11835100
NU305-E-XL-M1	Brass	25	62	17	CN [normal]	No	11667998
NU2305-E-XL-M1	Brass	25	62	24	CN [normal]	No	11667958
NU206-E-XL-M1-C3	Brass	30	62	16	C3	No	11835102
NU2206-E-XL-M1	Brass	30	62	20	CN [normal]	No	11667917
NU306-E-XL-M1	Brass	30	72	19	CN [normal]	No	11668000
NU406-E-XL-M1	Brass	30	90	23	CN [normal]	No	11668034
NU1007-E-XL-M1-C3	Brass	35	62	14	C3	No	11835059
NU2207-E-XL-M1	Brass	35	72	23	CN [normal]	No	11667919
NU2307-E-XL-M1	Brass	35	80	31	CN [normal]	No	11667961
NU1008-E-XL-M1-C3	Brass	40	68	15	C3	No	11835060
NU208-E-XL-M1-C3	Brass	40	80	18	C3	No	11835106
NU308-E-XL-M1	Brass	40	90	23	CN [normal]	No	11668003
NU2308-E-XL-M1	Brass	40	90	33	CN [normal]	No	11667963
NU408-E-XL-M1	Brass	40	110	27	CN [normal]	No	11668036
NU1009-E-XL-M1-C3	Brass	45	75	16	C3	No	11835061
NU309-E-XL-M1	Brass	45	100	25	CN [normal]	No	11668005
NU409-E-XL-M1	Brass	45	120	29	CN [normal]	No	11668038
NU1010-E-XL-M1-C3	Brass	50	80	16	C3	No	11835062
NU210-E-XL-M1	Brass	50	90	20	CN [normal]	No	11667897
NU2210-E-XL-M1	Brass	50	90	23	CN [normal]	No	11667924
NU2310-E-XL-M1	Brass	50	110	40	CN [normal]	No	11667966
NU2211-E-XL-M1	Brass	55	100	25	CN [normal]	No	11667926
NU311-E-XL-M1	Brass	55	120	29	CN [normal]	No	11668008
NU2311-E-XL-M1	Brass	55	120	43	CN [normal]	No	11667968
NU1012-E-XL-M1A-C3	Brass	60	95	18	C3	No	11835065
NU212-E-XL-M1-C3	Brass	60	110	22	C3	No	11835111
NU212-E-XL-M1	Brass	60	110	22	CN [normal]	No	11667900
NU312-E-XL-M1	Brass	60	130	31	CN [normal]	No	11668010
NU2312-E-XL-M1	Brass	60	130	46	CN [normal]	No	11667970
NU213-E-XL-M1	Brass	65	120	23	CN [normal]	No	11667902
NU2213-E-XL-M1	Brass	65	120	31	CN [normal]	No	11667930
NU313-E-XL-M1	Brass	65	140	33	CN [normal]	No	11668012
NU2313-E-XL-M1	Brass	65	140	48	CN [normal]	No	11667972
NU2214-E-XL-M1	Brass	70	125	31	CN [normal]	No	11667932

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Manufacturer ID	Cage material	Inner diameter	Outer diameter	Width	Internal clearance	With sealing	Article
		mm	mm	mm			Max. 200 articles in the table
NU314-E-XL-M1	Brass	70	150	35	CN [normal]	No	11668014
NU2314-E-XL-M1	Brass	70	150	51	CN [normal]	No	11667974
NU215-E-XL-M1	Brass	75	130	25	CN [normal]	No	11667905
NU2215-E-XL-M1	Brass	75	130	31	CN [normal]	No	11667934
NU315-E-XL-M1	Brass	75	160	37	CN [normal]	No	11668016
NU2315-E-XL-M1	Brass	75	160	55	CN [normal]	No	11667976
NU216-E-XL-M1	Brass	80	140	26	CN [normal]	No	11667907
NU2216-E-XL-M1	Brass	80	140	33	CN [normal]	No	11667936
NU2316-E-XL-M1	Brass	80	170	58	CN [normal]	No	11667978
NU416-XL-M1	Brass	80	200	48	CN [normal]	No	11668039
NU1017-XL-M1-C3	Brass	85	130	22	C3	No	11835066
NU217-E-XL-M1	Brass	85	150	28	CN [normal]	No	11667909
NU2217-E-XL-M1	Brass	85	150	36	CN [normal]	No	11667938
NU317-E-XL-M1	Brass	85	180	41	CN [normal]	No	11668019
NU2317-E-XL-M1A-C3	Brass	85	180	60	C3	No	11667981
NU2317-E-XL-M1	Brass	85	180	60	CN [normal]	No	11667980
NU2218-E-XL-M1	Brass	90	160	40	CN [normal]	No	11667940
NU2318-E-XL-M1	Brass	90	190	64	CN [normal]	No	11667983
NU1019-XL-M1-C3	Brass	95	145	24	C3	No	11835067
NU1019-XL-M1A-C3	Brass	95	145	24	C3	No	11835068
NU2219-E-XL-M1	Brass	95	170	43	CN [normal]	No	11667942
NU2319-E-XL-M1	Brass	95	200	67	CN [normal]	No	11667985
NU1020-XL-M1-C3	Brass	100	150	24	C3	No	11835069
NU1020-XL-M1	Brass	100	150	24	CN [normal]	No	11667878
NU2320-E-XL-M1	Brass	100	215	73	CN [normal]	No	11667987
NU1021-XL-M1	Brass	105	160	26	CN [normal]	No	11835070
NU1022-XL-M1-C3	Brass	110	170	28	C3	No	11835071
NU1022-XL-M1A-C3	Brass	110	170	28	C3	No	11835072
NU2222-E-XL-M1	Brass	110	200	53	CN [normal]	No	11667945
NU2322-E-XL-M1	Brass	110	240	80	CN [normal]	No	11667989
NU1024-XL-M1-C3	Brass	120	180	28	C3	No	11835073
NU1024-XL-M1A-C3	Brass	120	180	28	C3	No	11835075
NU1024-XL-M1A	Brass	120	180	28	CN [normal]	No	11835074
NU224-E-XL-M1	Brass	120	215	40	CN [normal]	No	11667952
NU2224-E-XL-M1	Brass	120	215	58	CN [normal]	No	11667947
NU1026-XL-M1-C3	Brass	130	200	33	C3	No	11835077
NU1026-XL-M1A-C3	Brass	130	200	33	C3	No	11835078
NU226-E-XL-M1	Brass	130	230	40	CN [normal]	No	11667955
NU2326-E-XL-M1	Brass	130	280	93	CN [normal]	No	11667991
NU1028-XL-M1-C3	Brass	140	210	33	C3	No	11835079
NU328-E-XL-M1	Brass	140	300	62	CN [normal]	No	11668027
NU1030-XL-M1-C3	Brass	150	225	35	C3	No	11835081
NU330-E-XL-M1	Brass	150	320	65	CN [normal]	No	11668028
NU2330-E-XL-M1	Brass	150	320	108	CN [normal]	No	11667992
NU1032-XL-M1-C3	Brass	160	240	38	C3	No	11835082
NU1034-XL-M1-C3	Brass	170	260	42	C3	No	11835083
NU334-E-TB-M1	Brass	170	360	72	CN [normal]	No	11668029
NU1036-XL-M1A-C3	Brass	180	280	46	C3	No	11835086
NU1036-XL-M1-C3	Brass	180	280	46	C3	No	11835084
NU1036-XL-M1A	Brass	180	280	46	CN [normal]	No	11835085
NU336-E-TB-M1	Brass	180	380	75	CN [normal]	No	11668030
NU1038-XL-M1-C3	Brass	190	290	46	C3	No	11835087

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Manufacturer ID	Cage material	Inner diameter	Outer diameter	Width	Internal clearance	With sealing	Article
		mm	mm	mm			Max. 200 articles in the table
NU238-E-M1	Brass	190	340	55	CN [normal]	No	11667995
NU2238-E-M1	Brass	190	340	92	CN [normal]	No	11667951
NU1040-XL-M1-C3	Brass	200	310	51	C3	No	11835088
NU1040-XL-M1A	Brass	200	310	51	CN [normal]	No	11667879
NU1044-M1A-C3	Brass	220	340	56	C3	No	11835090
NU1044-M1A	Brass	220	340	56	CN [normal]	No	11835089
NU1048-M1-C3	Brass	240	360	56	C3	No	11835091
NU1048-M1A	Brass	240	360	56	CN [normal]	No	11667880
NU1052-M1-C3	Brass	260	400	65	C3	No	11835093
NU1052-M1A	Brass	260	400	65	CN [normal]	No	11667882
NU1052-M1	Brass	260	400	65	CN [normal]	No	11667881
NU1056-M1-C3	Brass	280	420	65	C3	No	11835095
NU1056-M1A-C3	Brass	280	420	65	C3	No	11835096
NU1056-M1	Brass	280	420	65	CN [normal]	No	11667883
NU1056-M1A	Brass	280	420	65	CN [normal]	No	11667884
NU1064-M1A	Brass	320	480	74	CN [normal]	No	11667885
NU202-E-XL-TVP2-C3	Plastic	15	35	11	C3	No	11835097
NU202-E-XL-TVP2	Plastic	15	35	11	CN [normal]	No	11667887
NU203-E-XL-TVP2-C3	Plastic	17	40	12	C3	No	11835098
NU203-E-XL-TVP2	Plastic	17	40	12	CN [normal]	No	11667888
NU2203-E-XL-TVP2	Plastic	17	40	16	CN [normal]	No	11667914
NU303-E-XL-TVP2	Plastic	17	47	14	CN [normal]	No	11667996
NU204-E-XL-TVP2-C3	Plastic	20	47	14	C3	No	11835099
NU204-E-XL-TVP2	Plastic	20	47	14	CN [normal]	No	11667889
NU2204-E-XL-TVP2	Plastic	20	47	18	CN [normal]	No	11755961
NU304-E-XL-TVP2	Plastic	20	52	15	CN [normal]	No	11667997
NU2304-E-XL-TVP2	Plastic	20	52	21	CN [normal]	No	11667957
NU205-E-XL-TVP2-C3	Plastic	25	52	15	C3	No	11835101
NU205-E-XL-TVP2	Plastic	25	52	15	CN [normal]	No	11667891
NU2205-E-XL-TVP2	Plastic	25	52	18	CN [normal]	No	11667916
NU305-E-XL-TVP2	Plastic	25	62	17	CN [normal]	No	11667999
NU2305-E-XL-TVP2	Plastic	25	62	24	CN [normal]	No	11667959
NU206-E-XL-TVP2-C3	Plastic	30	62	16	C3	No	11835103
NU206-E-XL-TVP2	Plastic	30	62	16	CN [normal]	No	11667892
NU2206-E-XL-TVP2	Plastic	30	62	20	CN [normal]	No	11667918
NU306-E-XL-TVP2	Plastic	30	72	19	CN [normal]	No	11668001
NU2306-E-XL-TVP2	Plastic	30	72	27	CN [normal]	No	11667960
NU207-E-XL-TVP2-C3	Plastic	35	72	17	C3	No	11835104
NU207-E-XL-TVP2	Plastic	35	72	17	CN [normal]	No	11667893
NU2207-E-XL-TVP2	Plastic	35	72	23	CN [normal]	No	11667920
NU307-E-XL-TVP2	Plastic	35	80	21	CN [normal]	No	11668002
NU2307-E-XL-TVP2	Plastic	35	80	31	CN [normal]	No	11667962
NU208-E-XL-TVP2	Plastic	40	80	18	CN [normal]	No	11667895
NU2208-E-XL-TVP2	Plastic	40	80	23	CN [normal]	No	11667921
NU308-E-XL-TVP2	Plastic	40	90	23	CN [normal]	No	11668004
NU2308-E-XL-TVP2	Plastic	40	90	33	CN [normal]	No	11667964
NU209-E-XL-TVP2-C3	Plastic	45	85	19	C3	No	11835107
NU209-E-XL-TVP2	Plastic	45	85	19	CN [normal]	No	11667896
NU2209-E-XL-TVP2	Plastic	45	85	23	CN [normal]	No	11667922

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Manufacturer ID	Cage material	Inner diameter	Outer diameter	Width	Internal clearance	With sealing	Article
		mm	mm	mm			Max. 200 articles in the table
NU309-E-XL-TVP2	Plastic	45	100	25	CN [normal]	No	11668006
NU2309-E-XL-TVP2	Plastic	45	100	36	CN [normal]	No	11667965
NU210-E-XL-TVP2-C3	Plastic	50	90	20	C3	No	11835108
NU210-E-XL-TVP2	Plastic	50	90	20	CN [normal]	No	11667898
NU2210-E-XL-TVP2	Plastic	50	90	23	CN [normal]	No	11667925
NU310-E-XL-TVP2	Plastic	50	110	27	CN [normal]	No	11668007
NU2310-E-XL-TVP2	Plastic	50	110	40	CN [normal]	No	11667967
NU211-E-XL-TVP2-C3	Plastic	55	100	21	C3	No	11835110
NU211-E-XL-TVP2	Plastic	55	100	21	CN [normal]	No	11667899
NU2211-E-XL-TVP2	Plastic	55	100	25	CN [normal]	No	11667927
NU311-E-XL-TVP2	Plastic	55	120	29	CN [normal]	No	11668009
NU2311-E-XL-TVP2	Plastic	55	120	43	CN [normal]	No	11667969
NU212-E-XL-TVP2-C3	Plastic	60	110	22	C3	No	11835112
NU212-E-XL-TVP2	Plastic	60	110	22	CN [normal]	No	11667901
NU2212-E-XL-TVP2	Plastic	60	110	28	CN [normal]	No	11667929
NU312-E-XL-TVP2	Plastic	60	130	31	CN [normal]	No	11668011
NU2312-E-XL-TVP2	Plastic	60	130	46	CN [normal]	No	11667971
NU213-E-XL-TVP2-C3	Plastic	65	120	23	C3	No	11835114
NU213-E-XL-TVP2	Plastic	65	120	23	CN [normal]	No	11667903
NU2213-E-XL-TVP2	Plastic	65	120	31	CN [normal]	No	11667931
NU313-E-XL-TVP2	Plastic	65	140	33	CN [normal]	No	11668013
NU2313-E-XL-TVP2	Plastic	65	140	48	CN [normal]	No	11667973
NU214-E-XL-TVP2-C3	Plastic	70	125	24	C3	No	11835115
NU214-E-XL-TVP2	Plastic	70	125	24	CN [normal]	No	11667904
NU2214-E-XL-TVP2	Plastic	70	125	31	CN [normal]	No	11667933
NU314-E-XL-TVP2	Plastic	70	150	35	CN [normal]	No	11668015
NU2314-E-XL-TVP2	Plastic	70	150	51	CN [normal]	No	11667975
NU215-E-XL-TVP2-C3	Plastic	75	130	25	C3	No	11835116
NU215-E-XL-TVP2	Plastic	75	130	25	CN [normal]	No	11667906
NU2215-E-XL-TVP2	Plastic	75	130	31	CN [normal]	No	11667935
NU315-E-XL-TVP2	Plastic	75	160	37	CN [normal]	No	11668017
NU2315-E-XL-TVP2	Plastic	75	160	55	CN [normal]	No	11667977
NU216-E-XL-TVP2	Plastic	80	140	26	CN [normal]	No	11667908
NU2216-E-XL-TVP2	Plastic	80	140	33	CN [normal]	No	11667937
NU316-E-XL-TVP2	Plastic	80	170	39	CN [normal]	No	11668018
NU2316-E-XL-TVP2	Plastic	80	170	58	CN [normal]	No	11667979
NU217-E-XL-TVP2	Plastic	85	150	28	CN [normal]	No	11667910
NU2217-E-XL-TVP2	Plastic	85	150	36	CN [normal]	No	11667939
NU317-E-XL-TVP2	Plastic	85	180	41	CN [normal]	No	11668020
NU2317-E-XL-TVP2	Plastic	85	180	60	CN [normal]	No	11667982
NU218-E-XL-TVP2	Plastic	90	160	30	CN [normal]	No	11667912
NU2218-E-XL-TVP2	Plastic	90	160	40	CN [normal]	No	11667941
NU318-E-XL-TVP2	Plastic	90	190	43	CN [normal]	No	11668021
NU2318-E-XL-TVP2	Plastic	90	190	64	CN [normal]	No	11667984
NU219-E-XL-TVP2	Plastic	95	170	32	CN [normal]	No	11667913
NU2219-E-XL-TVP2	Plastic	95	170	43	CN [normal]	No	11667943
NU319-E-XL-TVP2	Plastic	95	200	45	CN [normal]	No	11668022
NU2319-E-XL-TVP2	Plastic	95	200	67	CN [normal]	No	11667986
NU220-E-XL-TVP2	Plastic	100	180	34	CN [normal]	No	11667923
NU2220-E-XL-TVP2	Plastic	100	180	46	CN [normal]	No	11667944

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Manufacturer ID	Cage material	Inner diameter	Outer diameter	Width	Internal clearance	With sealing	Article
		mm	mm	mm			Max. 200 articles in the table
NU320-E-XL-TVP2	Plastic	100	215	47	CN [normal]	No	11668023
NU2320-E-XL-TVP2	Plastic	100	215	73	CN [normal]	No	11667988
NU222-E-XL-TVP2	Plastic	110	200	38	CN [normal]	No	11667950
NU2222-E-XL-TVP2	Plastic	110	200	53	CN [normal]	No	11667946
NU322-E-XL-TVP2	Plastic	110	240	50	CN [normal]	No	11668024
NU224-E-XL-TVP2	Plastic	120	215	40	CN [normal]	No	11667953
NU2224-E-XL-TVP2	Plastic	120	215	58	CN [normal]	No	11667948
NU324-E-XL-TVP2	Plastic	120	260	55	CN [normal]	No	11668025
NU226-E-XL-TVP2	Plastic	130	230	40	CN [normal]	No	11667956
NU2226-E-XL-TVP2	Plastic	130	230	64	CN [normal]	No	11667949
NU326-E-XL-TVP2	Plastic	130	280	58	CN [normal]	No	11668026
NU407-XL	Steel	35	100	25	CN [normal]	No	11668035

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

