



FAG Double-row spherical roller bearing Tapered bore

Characteristics

Series: 230

Bore: Tapered bore

With sealing: No

Manufacturer ID	Inner diameter	Outer diameter	Width	Internal clearance	Cage	Article
	mm	mm	mm			Max. 200 articles in the table
22205-E1-XL-K	25	52	18	CN (normal)	Steel	11831833
22206-E1-XL-K	30	62	20	CN (normal)	Steel	11660333
22207-E1-XL-K-C3	35	72	23	C3	Steel	11831836
22207-E1-XL-K	35	72	23	CN (normal)	Steel	11660335
21307-E1-XL-K-TVPB	35	80	21	CN (normal)	Polyamide	11660271
22208-E1-XL-K-C3	40	80	23	C3	Steel	11831839
22208-E1-XL-K	40	80	23	CN (normal)	Steel	11660337
21308-E1-XL-K-TVPB-C3	40	90	23	C3	Polyamide	12625198
21308-E1-XL-K-C3	40	90	23	C3	Steel	12625194
21308-E1-XL-K-TVPB	40	90	23	CN (normal)	Polyamide	12625196
21308-E1-XL-K	40	90	23	CN (normal)	Steel	11660324
22308-E1-XL-K	40	90	33	CN (normal)	Steel	11660349
22209-E1-XL-K-C3	45	85	23	C3	Steel	11831841
22209-E1-XL-K	45	85	23	CN (normal)	Steel	11660339
21309-E1-XL-K-TVPB-C3	45	100	25	C3	Polyamide	11831801
21309-E1-XL-K-C3	45	100	25	C3	Steel	12625204
21309-E1-XL-K-TVPB	45	100	25	CN (normal)	Polyamide	11831800
21309-E1-XL-K	45	100	25	CN (normal)	Steel	11660326
22309-E1-XL-K-C3	45	100	36	C3	Steel	11831915
22309-E1-XL-K	45	100	36	CN (normal)	Steel	11660351
22210-E1-XL-K-C3	50	90	23	C3	Steel	11831843
22210-E1-XL-K	50	90	23	CN (normal)	Steel	11660341
21310-E1-XL-K-TVPB-C3	50	110	27	C3	Polyamide	12625208
21310-E1-XL-K-C3	50	110	27	C3	Steel	12625206
21310-E1-XL-K-TVPB	50	110	27	CN (normal)	Polyamide	11831804
21310-E1-XL-K	50	110	27	CN (normal)	Steel	11660328
22310-E1-XL-K-C3	50	110	40	C3	Steel	11831918
22310-E1-XL-K	50	110	40	CN (normal)	Steel	11660353
22211-E1-XL-K-C3	55	100	25	C3	Steel	11831845
21311-E1-XL-K-TVPB-C3	55	120	29	C3	Polyamide	12625217
21311-E1-XL-K-C3	55	120	29	C3	Steel	12625214
21311-E1-XL-K-TVPB	55	120	29	CN (normal)	Polyamide	11831808
21311-E1-XL-K	55	120	29	CN (normal)	Steel	11660330
22311-E1-XL-K-C3	55	120	43	C3	Steel	11831921
22311-E1-XL-K	55	120	43	CN (normal)	Steel	11660355
22212-E1-XL-K-C3	60	110	28	C3	Steel	11831848
22212-E1-XL-K	60	110	28	CN (normal)	Steel	11660345
21312-E1-XL-K	60	130	31	CN (normal)	Steel	11660359
22312-E1-XL-K-C3	60	130	46	C3	Steel	11831925
22312-E1-XL-K	60	130	46	CN (normal)	Steel	11660418
22213-E1-XL-K-C3	65	120	31	C3	Steel	11831850
22213-E1-XL-K	65	120	31	CN (normal)	Steel	11660347
21313-E1-XL-K-TVPB-C3	65	140	33	C3	Polyamide	11831813

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Spherical Roller Bearings | Double Row Spherical Roller Bearings

Manufacturer ID	Inner diameter	Outer diameter	Width	Internal clearance	Cage	Article
	mm	mm	mm			Max. 200 articles in the table
21313-E1-XL-K-TVPB	65	140	33	CN (normal)	Polyamide	11831812
21313-E1-XL-K	65	140	33	CN (normal)	Steel	11660361
22313-E1-XL-K-C3	65	140	48	C3	Steel	11831930
22313-E1-XL-K	65	140	48	CN (normal)	Steel	11660420
22214-E1-XL-K-C3	70	125	31	C3	Steel	11831852
22214-E1-XL-K	70	125	31	CN (normal)	Steel	11660381
21314-E1-XL-K	70	150	35	CN (normal)	Steel	11660364
22314-E1-XL-K	70	150	51	CN (normal)	Steel	11660424
22215-E1A-XL-K-M-C3	75	130	31	C3	Brass	11831856
22215-E1-XL-K-C3	75	130	31	C3	Steel	11831858
22215-E1A-XL-K-M	75	130	31	CN (normal)	Brass	11831855
22215-E1-XL-K	75	130	31	CN (normal)	Steel	11660383
21315-E1-XL-K-TVPB	75	160	37	CN (normal)	Polyamide	11831817
21315-E1-XL-K	75	160	37	CN (normal)	Steel	11660366
22315-E1-XL-K-C3	75	160	55	C3	Steel	11831935
22315-E1-XL-K	75	160	55	CN (normal)	Steel	11660427
22216-E1A-XL-K-M-C3	80	140	33	C3	Brass	11831861
22216-E1-XL-K-C3	80	140	33	C3	Steel	11831862
22216-E1A-XL-K-M	80	140	33	CN (normal)	Brass	11831860
22216-E1-XL-K	80	140	33	CN (normal)	Steel	11660385
21316-E1-XL-K	80	170	39	CN (normal)	Steel	11660369
22316-E1-XL-K-C3	80	170	58	C3	Steel	11831937
22316-E1-XL-K	80	170	58	CN (normal)	Steel	11660430
22217-E1-XL-K-C3	85	150	36	C3	Steel	11831867
22217-E1-XL-K	85	150	36	CN (normal)	Steel	11660387
21317-E1-XL-K-TVPB	85	180	41	CN (normal)	Polyamide	11831821
21317-E1-XL-K	85	180	41	CN (normal)	Steel	11660371
22317-E1-XL-K-C3	85	180	60	C3	Steel	11831940
22317-E1-XL-K	85	180	60	CN (normal)	Steel	11660433
22218-E1-XL-K-C3	90	160	40	C3	Steel	11831871
22218-E1-XL-K	90	160	40	CN (normal)	Steel	11660389
23218-E1A-XL-K-M-C3	90	160	52.4	C3	Brass	11832038
23218-E1-XL-K-TVPB-C3	90	160	52.4	C3	Polyamide	11832042
23218-E1-XL-K-TVPB	90	160	52.4	CN (normal)	Polyamide	11660579
21318-E1-XL-K	90	190	43	CN (normal)	Steel	11660374
22318-E1-XL-K-C3	90	190	64	C3	Steel	11831943
22318-E1-XL-K	90	190	64	CN (normal)	Steel	11660435
22219-E1-XL-K-C3	95	170	43	C3	Steel	11831873
22219-E1-XL-K	95	170	43	CN (normal)	Steel	11660391
22319-E1-XL-K-C3	95	200	67	C3	Steel	11831945
22319-E1-XL-K	95	200	67	CN (normal)	Steel	11660437
23120-E1A-XL-K-M	100	165	52	CN (normal)	Brass	11660527
23120-E1-XL-K-TVPB	100	165	52	CN (normal)	Polyamide	11660529
22220-E1A-XL-K-M-C3	100	180	46	C3	Brass	11831876
22220-E1-XL-K-C3	100	180	46	C3	Steel	11831879
22220-E1A-XL-K-M	100	180	46	CN (normal)	Brass	11831875
22220-E1-XL-K	100	180	46	CN (normal)	Steel	11660393
23220-E1A-XL-K-M-C3	100	180	60.3	C3	Brass	11832044
23220-E1A-XL-K-M	100	180	60.3	CN (normal)	Brass	11660581
23220-E1-XL-K-TVPB	100	180	60.3	CN (normal)	Polyamide	11660583
21320-E1-XL-K-TVPB	100	215	47	CN (normal)	Polyamide	11660376
22320-E1A-XL-K-M-C3	100	215	73	C3	Brass	11831948
22320-E1-XL-K-C3	100	215	73	C3	Steel	11831949

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Manufacturer ID	Inner diameter	Outer diameter	Width	Internal clearance	Cage	Article
	mm	mm	mm			Max. 200 articles in the table
22320-E1A-XL-K-M	100	215	73	CN (normal)	Brass	11831947
22320-E1-XL-K	100	215	73	CN (normal)	Steel	11660439
23022-E1A-XL-K-M	110	170	45	CN (normal)	Brass	11831972
23122-E1A-XL-K-M-C3	110	180	56	C3	Brass	11832007
23122-E1-XL-K-TVPB	110	180	56	CN (normal)	Polyamide	11660533
22222-E1-XL-K-C3	110	200	53	C3	Steel	11831883
22222-E1-XL-K	110	200	53	CN (normal)	Steel	11660395
23222-E1A-XL-K-M-C3	110	200	69.8	C3	Brass	11832049
23222-E1-XL-K-TVPB-C3	110	200	69.8	C3	Polyamide	11832052
23222-E1A-XL-K-M	110	200	69.8	CN (normal)	Brass	11660585
23222-E1-XL-K-TVPB	110	200	69.8	CN (normal)	Polyamide	11660587
21322-E1-XL-K-TVPB	110	240	50	CN (normal)	Polyamide	11660378
22322-E1-XL-K-C3	110	240	80	C3	Steel	11831953
22322-E1-XL-K	110	240	80	CN (normal)	Steel	11660441
23024-E1A-XL-K-M-C3	120	180	46	C3	Brass	11831976
23024-E1-XL-K-TVPB	120	180	46	CN (normal)	Polyamide	11660469
23124-E1A-XL-K-M	120	200	62	CN (normal)	Brass	11660535
23124-E1-XL-K-TVPB	120	200	62	CN (normal)	Polyamide	11660537
22224-E1-XL-K-C3	120	215	58	C3	Steel	11831887
22224-E1-XL-K-C4	120	215	58	C4	Steel	12577140
22224-E1-XL-K	120	215	58	CN (normal)	Steel	11660397
23224-E1A-XL-K-M	120	215	76	CN (normal)	Brass	11660589
23224-E1-XL-K-TVPB	120	215	76	CN (normal)	Polyamide	11660591
22324-E1-XL-K	120	260	86	CN (normal)	Steel	11660443
23026-E1A-XL-K-M	130	200	52	CN (normal)	Brass	11660471
23026-E1-XL-K-TVPB	130	200	52	CN (normal)	Polyamide	11660473
22226-E1-XL-K-C3	130	230	64	C3	Steel	11831891
22226-E1-XL-K	130	230	64	CN (normal)	Steel	11660399
23226-E1A-XL-K-M-C3	130	230	80	C3	Brass	11832058
23226-E1-XL-K-TVPB-C3	130	230	80	C3	Polyamide	11832060
22326-E1A-XL-K-M	130	280	93	CN (normal)	Brass	12562890
22326-E1-XL-K	130	280	93	CN (normal)	Steel	11660445
23028-E1A-XL-K-M-C3	140	210	53	C3	Brass	11831980
23028-E1A-XL-K-M	140	210	53	CN (normal)	Brass	11660475
23028-E1-XL-K-TVPB	140	210	53	CN (normal)	Polyamide	11660477
24028-BE-XL-K30	140	210	69	CN (normal)	Steel	12577139
23128-E1-XL-K-TVPB-C3	140	225	68	C3	Polyamide	11832013
23128-E1-XL-K-TVPB	140	225	68	CN (normal)	Polyamide	11660542
22228-E1-XL-K-C3	140	250	68	C3	Steel	11831893
22228-E1-XL-K	140	250	68	CN (normal)	Steel	11660401
23228-E1A-XL-K-M-C3	140	250	88	C3	Brass	11832062
23228-E1A-XL-K-M	140	250	88	CN (normal)	Brass	11660597
23228-E1-XL-K-TVPB	140	250	88	CN (normal)	Polyamide	11660599
22328-E1-XL-K	140	300	102	CN (normal)	Steel	11660448
23030-E1A-XL-K-M	150	225	56	CN (normal)	Brass	11660479
23030-E1-XL-K-TVPB	150	225	56	CN (normal)	Polyamide	11660481
23130-E1A-XL-K-M-C3	150	250	80	C3	Brass	11832015
23130-E1A-XL-K-M	150	250	80	CN (normal)	Brass	11660544
22230-E1-XL-K-C3	150	270	73	C3	Steel	11831896
22230-E1-XL-K	150	270	73	CN (normal)	Steel	11660403
23230-E1A-XL-K-M	150	270	96	CN (normal)	Brass	11660601
22330-E1A-XL-K-M-C3	150	320	108	C3	Brass	11831961
22330-E1-XL-K-C3	150	320	108	C3	Steel	11831962

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Manufacturer ID	Inner diameter	Outer diameter	Width	Internal clearance	Cage	Article
	mm	mm	mm			Max. 200 articles in the table
22330-E1-XL-K	150	320	108	CN (normal)	Steel	11660450
23032-E1A-XL-K-M	160	240	60	CN (normal)	Brass	11660483
23032-E1-XL-K-TVPB	160	240	60	CN (normal)	Polyamide	11660485
23132-E1A-XL-K-M-C3	160	270	86	C3	Brass	11832018
23132-E1A-XL-K-M	160	270	86	CN (normal)	Brass	11660547
22232-E1-XL-K-C3	160	290	80	C3	Steel	11831899
22232-E1-XL-K	160	290	80	CN (normal)	Steel	11660405
23232-E1A-XL-K-M-C3	160	290	104	C3	Brass	11832067
23232-E1A-XL-K-M	160	290	104	CN (normal)	Brass	11660604
22332-BE-XL-K	160	340	114	CN (normal)	Steel	11660452
23034-E1-XL-K-TVPB	170	260	67	CN (normal)	Polyamide	11660488
23134-E1A-XL-K-M	170	280	88	CN (normal)	Brass	11660550
23134-E1-XL-K-TVPB	170	280	88	CN (normal)	Polyamide	11660552
22234-E1-XL-K-C3	170	310	86	C3	Steel	11831902
22234-E1-XL-K	170	310	86	CN (normal)	Steel	11660407
23234-E1A-XL-K-M-C3	170	310	110	C3	Brass	11832070
23234-E1A-XL-K-M	170	310	110	CN (normal)	Brass	11660607
23036-E1A-XL-K-M	180	280	74	CN (normal)	Brass	11660490
23036-E1-XL-K-TVPB	180	280	74	CN (normal)	Polyamide	11660492
23136-E1A-XL-K-M	180	300	96	CN (normal)	Brass	11660554
23136-E1-XL-K-TVPB	180	300	96	CN (normal)	Polyamide	11660556
22236-E1-XL-K-C3	180	320	86	C3	Steel	11831905
22236-E1-XL-K	180	320	86	CN (normal)	Steel	11660409
23236-E1A-XL-K-M-C3	180	320	112	C3	Brass	11832071
23236-E1A-XL-K-M	180	320	112	CN (normal)	Brass	11660610
23038-E1A-XL-K-M	190	290	75	CN (normal)	Brass	11660494
23138-E1A-XL-K-M	190	320	104	CN (normal)	Brass	11660558
23138-E1-XL-K-TVPB	190	320	104	CN (normal)	Polyamide	11660560
23238-BE-XL-K	190	340	120	CN (normal)	Steel	11660613
23940-S-K-MB	200	280	60	CN (normal)	Brass	11660625
23040-E1A-XL-K-M-C3	200	310	82	C3	Brass	11831988
23040-E1A-XL-K-M-C4	200	310	82	C4	Brass	11831989
23040-E1A-XL-K-M	200	310	82	CN (normal)	Brass	11660497
23040-E1-XL-K-TVPB	200	310	82	CN (normal)	Polyamide	11660499
23140-BE-XL-K-C3	200	340	112	C3	Steel	11832025
23140-BE-XL-K	200	340	112	CN (normal)	Steel	11660563
23240-BE-XL-K	200	360	128	CN (normal)	Steel	12496007
23044-BE-XL-K-C4	220	340	90	C4	Steel	12147769
23044-BE-XL-K	220	340	90	CN (normal)	Steel	11660503
23144-BE-XL-K-C3	220	370	120	C3	Steel	11832028
23144-BE-XL-K-C4	220	370	120	C4	Steel	11832029
23244-BE-XL-K-C3	220	400	144	C3	Steel	12150512
23048-BE-XL-K	240	360	92	CN (normal)	Steel	11660507
23148-BE-XL-K	240	400	128	CN (normal)	Steel	11660568
23052-BE-XL-K	260	400	104	CN (normal)	Steel	11660512
23152-BE-XL-K-C3	260	440	144	C3	Steel	11832035
23152-BE-XL-K	260	440	144	CN (normal)	Steel	11832034
23156-BE-XL-K	280	460	146	CN (normal)	Steel	11660573
23964-K-MB	320	440	90	CN (normal)	Brass	11660630
23068-BEA-XL-K-MB1	340	520	133	CN (normal)	Brass	11660520

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.